

SAFETY DATA SHEET according to Regulation (EU) 2015/830

Page 1/7

Dodo Juice Bold Spice Air Freshener

 Revision
 0

 Revision date
 2021-04-30

	Revision date 2021-04-30
SECTION 1: Identification of	f the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Dodo Juice Bold Spice Air Freshener
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC3] Air care products;
1.3. Details of the supplier of the	e safety data sheet
Company	Dodo Juice Limited
Address	Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX
Web	
Telephone	www.dodojuice.com +44(0)1279 812687
Email	factory@dodojuice.com
Email address of the competent person	factory@dodojuice.com
1.4. Emergency telephone num	ber
Emergency telephone number	+44(0)7891 096802
Company	Dodo Juice Ltd
	0700-2300
SECTION 2: Hazards identit	fication
2.1. Classification of the substa	nce or mixture
2.1.2. Classification - EC 1272/2008	Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
2.2. Label elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation.
Description of the t	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P264 - Wash thoroughly after handling. P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.



2.2. Label elements	
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P501 - Dispose of contents/container to hazardous waste.
Disposal	
Hazard Statement	EUH208 - Contains isoeugenol, Linalool, Piperonal, alpha-Methylcinnamaldehyde,
	beta-Caryophyllene. May produce an allergic reaction.
2.3. Other hazards	

Other hazards

SECTION 3: Composition/information on ingredients

None.

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
monopropylene glycol		57-55-6	200-338-0		40 - 50%	
Alkylbenzene sulphonic acid, isopropylamine salt		26264-05-1	247-556-2		1 - 10%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
Eugenol		97-53-0	202-589-1		0 - 0.5%	Skin Sens. 1: H317; Eye Irrit. 2: H319;
(R)-p-Mentha-1,8-diene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
4-tert-butylcyclohexyl acetate		32210-23-4	250-954-9		0 - 0.5%	Skin Sens. 1: H317;
sodium xylene sulphonate		1300-72-7	215-090-9		1 - 10%	Eye Irrit. 2: H319;
Octanal		124-13-0	204-683-8		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
Myrcene		123-35-3	204-622-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical		
	attention.		
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical		
	attention if irritation or symptoms persist.		
Ingestion	DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.		
4.2. Most important symptoms and effects, both acute and delayed			
Inhalation	May cause irritation to mucous membranes.		
Eye contact	Causes serious eye irritation.		
Skin contact	May cause sensitisation by skin contact.		
Ingestion	May cause irritation to mucous membranes.		
4.3. Indication of any immediate medical attention and special treatment needed			
Eye contact	Seek medical attention.		
SECTION 5: Firefighting measures			



Revision	0
Revision date	2021-04-30

5.1. Extinguishing media				
	Use extinguishing media appropriate to the surrounding fire conditions.			
5.2. Special hazards arising from the substance or mixture				
	Burning produces irritating, toxic and obnoxious fumes.			
5.3. Advice for firefighters				
	Wear suitable respiratory equipment when necessary.			
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, prote	ctive equipment and emergency procedures			
	Ensure adequate ventilation of the working area.			
6.2. Environmental precautions				
	Do not allow product to enter drains. Prevent further spillage if safe.			
6.3. Methods and material for co	ntainment and cleaning up			
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.			
6.4. Reference to other sections				
	SECTION 8: Exposure controls/personal protection.			
SECTION 7: Handling and st	orage			
7.1. Precautions for safe handlin	g			
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.			
7.2. Conditions for safe storage, including any incompatibilities				
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.			
7.3. Specific end use(s)				
	Do not breathe gas/fumes/vapour/spray.			
SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
8.1.1. Exposure Limit Values				



8.1.1. Exposure Limit Values

•	-	
(R)-p-Mentha-1,8-diene	WEL 8-hr limit ppm: 100	WEL 8-hr limit mg/m3:
	WEL 15 min limit ppm: 150	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
monopropylene glycol	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Potassium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers		
monopropylene glycol	Acute inhalation - Systemic 168 mg/m ³	
	effects	
Exposure Pattern - General pop	ulation	
monopropylene glycol	Acute inhalation - Systemic 50 mg/m ³	

8.2. Exposure controls		
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.	
8.2.2. Individual protection measures	Not normally required.	
Eye / face protection	Not normally required.	
Skin protection - Handprotection	Wash hands after handling the product.	
SECTION 9: Physical and chemical properties		

9.1. Information on basic physical and chemical properties



9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless/Clear
Odour	Perfumes
Odour threshold	No data available
pH	5.5 - 6
Melting point	Not applicable.
Freezing Point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	Not relevant
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.019 (H2O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	7 sec. 3 mm (ISO 2431)
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Miscible in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic compounds)	453 g/l
compounds)	
SECTION 10: Stability and reactivity	

10.1. Reactivity			
	No Significant Hazard.		
10.2. Chemical stability			
	Stable under normal conditions.		
10.3. Possibility of hazardous re	actions		
	None.		
10.4. Conditions to avoid			
	Avoid sparks, flames, heat and sources of ignition.		
10.5. Incompatible materials	10.5. Incompatible materials		
	None.		
10.6. Hazardous decomposition products			
	Carbon monoxide may be formed in fire conditions.		
SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	No data is available on this product.		



 Revision
 0

 Revision date
 2021-04-30

11.1. Information on toxicological effects

Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	Irritating to eyes.
Respiratory or skin sensitisation	May cause irritation to respiratory system.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
STOT-single exposure	No data is available on this product.
STOT-repeated exposure	No data is available on this product.
Aspiration hazard	No Significant Hazard.
Repeated or prolonged	No data is available on this product.
exposure	

11.1.4. Toxicological Information

(R)-p-Mentha-1,8-diene	Oral Rat LD50: 4400mg/kg	Dermal Rabbit LD50: >5000mg/kg
monopropylene glycol	Dermal Rat LD50: >2000 mg/kg	Oral Rat LD50: >20000 mg/kg
sodium xylene sulphonate	Oral Rat LD50: 7200mg/kg	Dermal Rabbit LD50: 2000mg/kg

SECTION 12: Ecological information

12.1. Toxicity

(R)-p-Mentha-1,8-diene	Daphnia EC50/48h: 69.6 mg/l	Fathead minnows LC50/96h: 0.702mg/l
monopropylene glycol	Daphnia LC50/48h: >4850 mg/l	Guppy LC50/96h: >44000 mg/l
sodium xylene sulphonate	Daphnia EC50/48h: 1000.0000 mg/l	Algae IC50/72h: 230.0000 mg/l
	Fish LC50/96h: 1000.0000 mg/l	

12.2. Persistence and degradability

Readily biodegradable.

12.3. Bioaccumulative potential

	Does not bioaccumulate.
Partition coefficient	
	Dodo Juice Bold Spice Air No data available Freshener
12.4. Mobility in soil	
	Miscible in water.
12.5. Results of PBT and vPvB assessment	
	PBT not applicable. vPvB not applicable.
12.6. Other adverse effects	
	Harmful to aquatic life with long lasting effects.
SECTION 13: Disposal considerations	
General information	
	Dispose of in compliance with all local and national regulations. Do not empty into drains.
Disposal methods	
	07 06 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics.
SECTION 14: Transport information	



14.1. UN number

	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for user	
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC
	and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Maximum content of VOC	453 g/l.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

