

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

# **Dodo Juice Cherry Bomb Air Freshener**

Revision 0
Revision date 2021-05-13

#### 1.1. Product identifier

Product name Dodo Juice Cherry Bomb Air Freshener

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU21] Consumer uses: Private households (= general public = consumers); [PC3] Air care products;

### 1.3. Details of the supplier of the safety data sheet

Company Dodo Juice Limited

Address Unit 10

Golds Nurseries Business Park

Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK

Web www.dodojuice.com

Telephone +44(0)1279 812687

Email factory@dodojuice.com

factory@dodojuice.com

competent person

## 1.4. Emergency telephone number

**Emergency telephone number** 

Company

+44(0)7891 096802 Dodo Juice Ltd 0700-2300

#### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Eye Irrit. 2: H319;

# 2.2. Label elements

## Hazard pictograms



Signal Word

Hazard Statement Eye I

**Precautionary Statement:** 

Prevention

**Precautionary Statement:** 

Response

Warning

Eye Irrit. 2: H319 - Causes serious eye irritation.

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Revision 0 Revision date 2021-05-13

2.2.	Label	elements	

	P337+P313 - If eye irritation persists: Get medical advice/attention.
Hazard Statement	EUH208 - Contains 4-Hydroxy-2,5-dimethyl-3(2H)-furanone, Ethyl safranate, alpha-Pinene. May produce an allergic reaction.

#### 2.3. Other hazards

Other hazards None.

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
monopropylene glycol		57-55-6	200-338-0		40 - 50%	
Benzaldehyde	605-012-00-5	100-52-7	202-860-4		1 - 10%	Acute Tox. 4: H302;
Alkylbenzene sulphonic acid, isopropylamine salt		26264-05-1	247-556-2		1 - 10%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
sodium xylene sulphonate		1300-72-7	215-090-9		1 - 10%	Eye Irrit. 2: H319;
Ethyl butyrate		105-54-4	203-306-4		0 - 0.5%	Flam. Liq. 3: H226; Eye Irrit. 2: H319;
alpha-Pinene		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Acute Tox. 4: H302; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;

# SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to mucous membranes.				
Eye contact	Causes serious eye irritation.				
Skin contact	ay cause sensitisation by skin contact.				
Ingestion	May cause irritation to mucous membranes.				

#### 4.3. Indication of any immediate medical attention and special treatment needed

Eye contact Seek medical attention.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

# 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

# 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

# SECTION 6: Accidental release measures

Revision 0
Revision date 2021-05-13

# 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area.

## 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

# 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

#### 6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

#### 7.3. Specific end use(s)

Do not breathe gas/fumes/vapour/spray.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1. Exposure Limit Values

monopropylene glycol	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 8-hr limit ppm: -	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Potassium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

## **Exposure Pattern - Workers**

monopropylene glycol	Acute inhalation - Systemic 168 mg/m³
	effects

## **Exposure Pattern - General population**

Revision 0 Revision date 2021-05-13

# **Exposure Pattern - General population**

Handprotection

monopropylene glycol	Acute inhalation - Systemic 50 mg/m³
	effects
8.2. Exposure controls	
8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.
controls	
8.2.2. Individual protection	Not normally required.
measures	
Eye / face protection	Not normally required.
Skin protection -	Wash hands after handling the product.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance	Liquid					
Colour	purless/Clear					
Odour	erfumes					
Odour threshold	o data available					
рН	5.5 - 6					
Melting point	Not applicable.					
Freezing Point	No data available					
Initial boiling point	No data available					
Flash point	No data available					
Evaporation rate	No data available					
Flammability (solid, gas)	ot relevant					
Vapour pressure						
Vapour density	No data available					
Relative density	019 (H2O = 1 @ 20 °C)					
Fat Solubility	No data available					
Partition coefficient	No data available					
Autoignition temperature	No data available					
Viscosity	sec. 3 mm (ISO 2431)					
Explosive properties	No data available					
Oxidising properties	No data available					
Solubility	Miscible in water					

# 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic	453 g/l
compounds)	

# SECTION 10: Stability and reactivity

1	0		1		R	e	ac	ti	V	ity	1
---	---	--	---	--	---	---	----	----	---	-----	---

	No Significant Hazard.
10.2. Chemical stability	
	Stable under normal conditions.

Revision 0
Revision date 2021-05-13

		Revision date 2021-05
10.3. Possibility of hazardous re	eactions	
	None.	
10.4. Conditions to avoid		
	Avoid sparks, flames, heat and sources of ignition.	
10.5. Incompatible materials	· · · · · · · · · · · · · · · · · · ·	
	None.	
10.6. Hazardous decomposition		
10.6. Hazardous decomposition	·	
	Carbon monoxide may be formed in fire conditions.	
SECTION 11: Toxicological	information	
11.1. Information on toxicologic	al effects	
Acute toxicity	No data is available on this product.	
Skin corrosion/irritation	May cause irritation to skin.	
Serious eye damage/irritation	Irritating to eyes.	
Respiratory or skin sensitisation	May cause irritation to respiratory system.	
Germ cell mutagenicity	No data is available on this product.	
Carcinogenicity	No data is available on this product.	
Reproductive toxicity	No data is available on this product.	
STOT-single exposure	No data is available on this product.	
STOT-repeated exposure	No data is available on this product.	
Aspiration hazard	No Significant Hazard.	
Repeated or prolonged exposure	No data is available on this product.	
11.1.4. Toxicological Informatio	n	
monopropylene glycol	Dermal Rat LD50: >2000 mg/kg	Oral Rat LD50: >20000 mg/kg
sodium xylene sulphonate	<b>Oral Rat LD50:</b> 7200mg/kg	Dermal Rabbit LD50: 2000mg/kg
0505101140 5 1 1 1 1 1		
SECTION 12: Ecological inf	ormation	
12.1. Toxicity		
monopropylene glycol	<b>Daphnia LC50/48h:</b> >4850 mg/l	Guppy LC50/96h: >44000 mg/l
sodium xylene sulphonate	<b>Daphnia EC50/48h:</b> 1000.0000 mg/l	Algae IC50/72h: 230.0000 mg/l
	Fish LC50/96h: 1000.0000 mg/l	
12.2. Persistence and degradat	nility	
12.2. 1 Orolotorioo and dograda.	Readily biodegradable.	
12.3. Bioaccumulative potential		
12.3. Bioaccumulative potential		
	Daniel and his community to	
	Does not bioaccumulate.	
Partition coefficient		
Partition coefficient	Dodo Juice Cherry Bomb Air No data available Freshener	
	Dodo Juice Cherry Bomb Air No data available Freshener	
Partition coefficient  12.4. Mobility in soil	•	
	•	
	Freshener  Miscible in water.	

Revision 0 Revision date 2021-05-13

12.6. Other adverse effects	12.6. Other adverse effects		
	Harmful to aquatic life with long lasting effects.		
SECTION 13: Disposal cons	iderations		
General information			
	Dispose of in compliance with all local and national regulations. Do not empty into drains.		
Disposal methods			
	07 06 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics.		
SECTION 14: Transport info	rmation		
14.1. UN number			
	The product is not classified as dangerous for carriage.		
14.2. UN proper shipping name			
	The product is not classified as dangerous for carriage.		
14.3. Transport hazard class(es)			
	The product is not classified as dangerous for carriage.		
14.4. Packing group			
	The product is not classified as dangerous for carriage.		
14.5. Environmental hazards			
	The product is not classified as dangerous for carriage.		
14.6. Special precautions for use			
	The product is not classified as dangerous for carriage.		
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code		
	The product is not classified as dangerous for carriage.		
SECTION 15: Regulatory info	formation		
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture		
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.		
15.2. Chemical safety assessment			
	No data is available on this product.		

# SECTION 16: Other information

Othe	- infe		tion.
CITHE	r inte	m	ITIME

Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Maximum content of VOC	453 g/l.
Further information	

Revision 0 Revision date 2021-05-13

Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.