



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

Dodo Juice Coco Loco Air Freshener

Revision 0
Revision date 2021-05-10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Dodo Juice Coco Loco Air Freshener

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU21] Consumer uses: Private households (= general public = consumers); [PC3] Air care products;

1.3. Details of the supplier of the safety data sheet

Company Dodo Juice Limited
Address Unit 10
Golds Nurseries Business Park
Jenkins Drive
Elsenham
Bishops Stortford
CM22 6JX
UK
Web www.dodojuice.com
Telephone +44(0)1279 812687
Email factory@dodojuice.com
Email address of the competent person factory@dodojuice.com

1.4. Emergency telephone number

Emergency telephone number +44(0)7891 096802
Company Dodo Juice Ltd
0700-2300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008 Eye Irrit. 2: H319;

2.2. Label elements

Hazard pictograms



Signal Word

Warning

Hazard Statement

Eye Irrit. 2: H319 - Causes serious eye irritation.

Precautionary Statement: Prevention

P264 - Wash thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement: Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dodo Juice Coco Loco Air Freshener

Revision 0

Revision date 2021-05-10

2.2. Label elements

Hazard Statement	P337+P313 - If eye irritation persists: Get medical advice/attention.
	EUH208 - Contains p-t-Butyl-alphamethylhydrocinnamic aldehyde, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-etramethyl-2-aphthalenyl)ethanone, Hexyl salicylate, alpha-Hexylcinnamaldehyde, linalool, 4-tert-Butylcyclohexyl acetate, . May produce an allergic reaction.. May produce an allergic reaction.

2.3. Other hazards

Other hazards	None.
---------------	-------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
monopropylene glycol		57-55-6	200-338-0		40 - 50%	
Alkylbenzene sulphonic acid, isopropylamine salt		26264-05-1	247-556-2		1 - 10%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
Coumarin		91-64-5	202-086-7		0 - 0.5%	Acute Tox. 4: H302; Skin Sens. 1: H317;
sodium xylene sulphonate		1300-72-7	215-090-9		1 - 10%	Eye Irrit. 2: H319;
(R)-p-Mentha-1,8-diene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Myrcene		123-35-3	204-622-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to mucous membranes.
Eye contact	Causes serious eye irritation.
Skin contact	May cause sensitisation by skin contact.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Eye contact	Seek medical attention.
-------------	-------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

Dodo Juice Coco Loco Air Freshener

Revision 0

Revision date 2021-05-10

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

7.3. Specific end use(s)

Do not breathe gas/fumes/vapour/spray.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Dodo Juice Coco Loco Air Freshener

Revision 0

Revision date 2021-05-10

8.1.1. Exposure Limit Values

(R)-p-Mentha-1,8-diene	WEL 8-hr limit ppm: 100 WEL 15 min limit ppm: 150 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
monopropylene glycol	WEL 8-hr limit ppm: 150 WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: - WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 474 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: - WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Potassium hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -

DNEL: Derived no-effect level.

Exposure Pattern - Workers

monopropylene glycol	Acute inhalation - Systemic effects 168 mg/m ³
----------------------	---

Exposure Pattern - General population

monopropylene glycol	Acute inhalation - Systemic effects 50 mg/m ³
----------------------	--

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Not normally required.
Eye / face protection	Not normally required.
Skin protection - Handprotection	Wash hands after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Dodo Juice Coco Loco Air Freshener

Revision 0

Revision date 2021-05-10

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless/Clear
Odour	Perfumes
Odour threshold	No data available
pH	5.5 - 6
Melting point	Not applicable.
Freezing Point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	Not relevant
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.019 (H ₂ O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	7 sec. 3 mm (ISO 2431)
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Miscible in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic compounds)	453 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No Significant Hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition.

10.5. Incompatible materials

None.

10.6. Hazardous decomposition products

Carbon monoxide may be formed in fire conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
-----------------------	---------------------------------------

Dodo Juice Coco Loco Air Freshener

Revision 0

Revision date 2021-05-10

11.1. Information on toxicological effects

Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	Irritating to eyes.
Respiratory or skin sensitisation	May cause irritation to respiratory system.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
STOT-single exposure	No data is available on this product.
STOT-repeated exposure	No data is available on this product.
Aspiration hazard	No Significant Hazard.
Repeated or prolonged exposure	No data is available on this product.

11.1.4. Toxicological Information

(R)-p-Mentha-1,8-diene	Oral Rat LD50: 4400mg/kg	Dermal Rabbit LD50: >5000mg/kg
monopropylene glycol	Dermal Rat LD50: >2000 mg/kg	Oral Rat LD50: >20000 mg/kg
sodium xylene sulphonate	Oral Rat LD50: 7200mg/kg	Dermal Rabbit LD50: 2000mg/kg

SECTION 12: Ecological information

12.1. Toxicity

(R)-p-Mentha-1,8-diene	Daphnia EC50/48h: 69.6 mg/l	Fathead minnows LC50/96h: 0.702mg/l
monopropylene glycol	Daphnia LC50/48h: >4850 mg/l	Guppy LC50/96h: >44000 mg/l
sodium xylene sulphonate	Daphnia EC50/48h: 1000.0000 mg/l Fish LC50/96h: 1000.0000 mg/l	Algae IC50/72h: 230.0000 mg/l

12.2. Persistence and degradability

	Readily biodegradable.
--	------------------------

12.3. Bioaccumulative potential

	Does not bioaccumulate.
--	-------------------------

Partition coefficient

	Dodo Juice Coco Loco Air Freshener No data available
--	---

12.4. Mobility in soil

	Miscible in water.
--	--------------------

12.5. Results of PBT and vPvB assessment

	PBT not applicable. vPvB not applicable.
--	--

12.6. Other adverse effects

	Harmful to aquatic life with long lasting effects.
--	--

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations. Do not empty into drains.
--	---

Disposal methods

	07 06 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics.
--	---

SECTION 14: Transport information

Dodo Juice Coco Loco Air Freshener

Revision 0

Revision date 2021-05-10

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

Text of Hazard Statements in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.
 Skin Irrit. 2: H315 - Causes skin irritation.
 Eye Irrit. 2: H319 - Causes serious eye irritation.
 Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
 Skin Sens. 1: H317 - May cause an allergic skin reaction.
 Flam. Liq. 3: H226 - Flammable liquid and vapour.
 Aquatic Acute 1: H400 - Very toxic to aquatic life.
 Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
 Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
 Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Maximum content of VOC

453 g/l.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.