

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

Dodo Juice Crudzilla TFR

Revision Revision date 2021-02-15

SECTION 1: Identification of the substance/mixture and of the company/undertaking	ng
---	----

1.1. Product identifier

Product name Dodo Juice Crudzilla TFR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use

[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles;

[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); [AC1]

1.3. Details of the supplier of the safety data sheet

Company

Dodo Juice Limited

Address

Golds Nurseries Business Park

Jenkins Drive Elsenham **Bishops Stortford** CM22 6JX

Web www.dodojuice.com **Telephone** +44(0)1279 812687 **Email** factory@dodojuice.com

Email address of the competent person

factory@dodojuice.com

1.4. Emergency telephone number

Emergency telephone number

Company

+44(0)7891 096802 Dodo Juice Ltd 0700-2300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; Aquatic Chronic 3: H412;

2.2. Label elements

Hazard pictograms





Signal Word

Hazard Statement

Danger

Skin Irrit. 2: H315 - Causes skin irritation.

Powered by

ChemSoft EH&S

Revision 0 Revision date 2021-02-15

2.2. Label elements

	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
Prevention	P264 - Wash thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .
	P321 - Specific treatment (see on this label).
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Precautionary Statement:	P501 - Dispose of contents/container to hazardous waste.
Disposal	

2.3. Other hazards

Other hazards	None.
---------------	-------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Sodium C14-C16 olefin sulphonate		68439-57-6	270-407-8		1 - 10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;
Alcohol ethoxylate with 6.5MEO		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
sodium metasilicate pentahydrate		10213-79-3	229-912-9		1 - 10%	Skin Corr. 1B: H314; STOT SE 3: H335;
Ethylene glycol monobutyl ether	603-014-00-0	111-76-2	203-905-0		1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;
(R)-p-Mentha-1,8-diene	601-029-00-7	5989-27-5	227-813-5		1 - 10%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to mucous membranes.		
Eye contact	Risk of serious damage to eyes.		
Skin contact	Irritating to skin. May cause sensitisation by skin contact.		

4.3. Indication of any immediate medical attention and special treatment needed

Revision 0 Revision date 2021-02-15

4.3. Indication of any immediate	medical attention and special treatment ne	eded	
Eye contact	Immediate medical attention is required.		
Ingestion	Immediate medical attention is required.		
SECTION 5: Firefighting me	asures		
5.1. Extinguishing media			
	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.	
5.2. Special hazards arising fror	n the substance or mixture		
	Burning produces irritating, toxic and obno	oxious fumes.	
5.3. Advice for firefighters			
	Self-contained breathing apparatus. Wear	protective clothing.	
SECTION 6: Accidental rele	ase measures		
6.1. Personal precautions, prote	ective equipment and emergency procedures	6	
	Ensure adequate ventilation of the workin	g area. Wear suitable protective equipment.	
6.2. Environmental precautions			
	Do not allow product to enter drains. Prev	ent further spillage if safe.	
6.3. Methods and material for co	ontainment and cleaning up		
	Absorb with inert, absorbent material. Tra spillage area thoroughly with plenty of wa	nsfer to suitable, labelled containers for disposal. Clean ter.	
6.4. Reference to other sections	3		
	SECTION 7: Handling and storage. SECT	TON 8: Exposure controls/personal protection.	
SECTION 7: Handling and s	torage		
7.1. Precautions for safe handling	ng		
	Avoid contact with eyes and skin. Ensure Manual Handling considerations when ha	adequate ventilation of the working area. Adopt best ndling, carrying and dispensing.	
7.2. Conditions for safe storage,	, including any incompatibilities		
	Keep in a cool, dry, well ventilated area. k	Keep containers tightly closed.	
7.3. Specific end use(s)			
	Do not breathe gas/fumes/vapour/spray.		
SECTION 8: Exposure contr	ols/personal protection		
8.1. Control parameters	·		
<u> </u>			
8.1.1. Exposure Limit Values			
(R)-p-Mentha-1,8-diene	WEL 8-hr limit ppm: 100	WEL 8-hr limit mg/m3:	
	WEL 15 min limit ppm: 150	WEL 15 min limit mg/m3:	
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -	
	inhalable dust: WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total -	
Chalana shaal as a shat I at	respirable dust:	respirable dust:	
Ethylene glycol monobutyl ether	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123	

WEL 15 min limit ppm: 50

inhalable dust:

respirable dust:

WEL 8-hr limit mg/m3 total -

WEL 8-hr limit mg/m3 total -

WEL 15 min limit mg/m3: 101.2

inhalable dust:

respirable dust:

WEL 15 min limit mg/m3 total -

WEL 15 min limit mg/m3 total -

Revision 0 Revision date 2021-02-15

8.2. Exposure controls				
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.			
8.2.2. Individual protection measures	Wear chemical protective clothing.			
Eye / face protection	Approved safety goggles.			
Skin protection - Handprotection	Chemical resistant gloves (PVC).			
Respiratory protection	Self-contained breathing apparatus. Wear protective clothing.			

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour	Blue
Odour	Characteristic
Odour threshold	No data available
Melting point	No data available
Freezing Point	0 °C
Initial boiling point	100 °C
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.015 (H2O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	7 sec. 3 mm (ISO 2431)
Explosive properties	No data available
Oxidising properties	No data available
рН	12.5 - 12.8
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	

SECTION 10: Stability and reactivity

10.1. Reactivity			
	Stable under normal conditions.		
10.2. Chemical stability			
	Stable under normal conditions.		
10.3. Possibility of hazardous reactions			
	No Significant Hazard.		
10.4. Conditions to avoid			
	None.		

Revision 0
Revision date 2021-02-15

10.5. Incompatible materials

None.

10.6. Hazardous decomposition products

Will not decompose if stored and used as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Risk of serious damage to eyes.
Respiratory or skin	Sensitizer, Skin.
sensitisation	
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
STOT-single exposure	No data is available on this product.
STOT-repeated exposure	No data is available on this product.
Aspiration hazard	Potential for aspiration if swallowed.
Repeated or prolonged	May cause severe irritation to eyes and skin.
exposure	

11.1.4. Toxicological Information

(R)-p-Mentha-1,8-diene	Oral Rat LD50: 4400mg/kg	Dermal Rabbit LD50: >5000mg/kg
Alcohol ethoxylate with 6.5MEO	Oral Rat LD50: >200<2000mg/kg	
Ethylene glycol monobutyl ether	Inhalation Rat LC50/4 h: 2.4mg/l	Oral Rat LD50: 470mg/kg
Sodium C14-C16 olefin	Oral Rat LD50: >2000mg/kg	Dermal Rabbit LD50: 6300-13500mg/kg
sulphonate		
sodium metasilicate	Oral Rat LD50: 1280mg/kg	Oral Mouse LD50: 770mg/kg
pentahydrate		

SECTION 12: Ecological information

12.1. Toxicity

(R)-p-Mentha-1,8-diene	Daphnia EC50/48h: 69.6 mg/l	Fathead minnows LC50/96h: 0.702mg/l
Alcohol ethoxylate with 6.5MEO	Fish LC50/96h: 10.0000 mg/l	
Ethylene glycol monobutyl ether	Daphnia EC50/48h: 1000 mg/l	Fish LC50/96h: 1700.0000 mg/l
MMB (3-methoxy-3-methyl-1-butanol)	NOEC / EC10 for marine or >1000.0000 mg/l freshwater organisms LC50 for marine or freshwater >100.0000 mg/l organisms	EC50 for marine or freshwater >1000.0000 mg/l organisms
Sodium C14-C16 olefin sulphonate	Daphnia EC50/48h: 4.5300 mg/l Fish LC50/96h: 4.2000 mg/l	Algae IC50/72h: 5.2000 mg/l
sodium metasilicate pentahydrate	Daphnia EC50/48h: 4857 mg/l	Fish LC50/96h: 3185.0000 mg/l

12.2. Persistence and degradability

More than 90% biodegradable.

12.3. Bioaccumulative potential

No data is available on this product.

BCF: Bioconcentration factor.

Revision 0 Revision date 2021-02-15

	Revision date 2021-02-1
BCF: Bioconcentration factor	r.
Sodium C14-C16 olefin sulphonate	BCF: Bioconcentration factor. 70.8 L/kg
Partition coefficient	
	Dodo Juice Crudzilla TFR No data available
12.4. Mobility in soil	
	Soluble in water.
12.5. Results of PBT and vP	vB assessment
	Not determined.
12.6. Other adverse effects	
	Harmful to aquatic life with long lasting effects.
SECTION 13: Disposal co	onsiderations
13.1. Waste treatment method	ods
	07 06 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
General information	
	Dispose of in compliance with all local and national regulations.
SECTION 14: Transport i	information
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping na	me
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class	e(es)
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	3
	The product is not classified as dangerous for carriage.
14.6. Special precautions for	user
	The product is not classified as dangerous for carriage.
	Avoid contact with eyes and skin. Do not breathe gas/fumes/vapour/spray.
14.7. Transport in bulk accor	rding to Annex II of MARPOL 73/78 and the IBC Code
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory	information
15.1. Safety, health and envi	ironmental regulations/legislation specific for the substance or mixture
	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Revision 0
Revision date 2021-02-15

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information

Other information

Text of Hazard Statements in Section 3

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

STOT SE 3: H335 - May cause respiratory irritation. Acute Tox. 4: H312 - Harmful in contact with skin.

Acute Tox. 4: H332 - Harmful if inhaled.

Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Maximum content of VOC

11 g/l.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.