



# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

## Dodo Juice Deep Purple Wheel Cleaner

Revision 4

Revision date 2022-11-14

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Dodo Juice Deep Purple Wheel Cleaner
--------------	--------------------------------------

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); [PROC11] Non industrial spraying; [ERC8d] Wide dispersive outdoor use of processing aids in open systems; [AC1] Vehicles; ----- [SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [PROC11] Non industrial spraying; [ERC8d] Wide dispersive outdoor use of processing aids in open systems; [AC1] Vehicles;
-------------	---

#### 1.3. Details of the supplier of the safety data sheet

Company	Dodo Juice Limited
Address	Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK
Web	www.dodojuice.com
Telephone	+44(0)1279 812687
Email	factory@dodojuice.com
Email address of the competent person	factory@dodojuice.com

#### 1.4. Emergency telephone number

Emergency telephone number	+44(0)7891 096802
Company	Dodo Juice Ltd 0700-2300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Skin Sens. 1: H317; Eye Dam. 1: H318;
--------------------------------------	---------------------------------------

#### 2.2. Label elements

Hazard pictograms	
-------------------	--

# Dodo Juice Deep Purple Wheel Cleaner

Revision 4  
Revision date 2022-11-14

## 2.2. Label elements

<b>Signal Word</b>	Danger
<b>Hazard Statement</b>	Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Dam. 1: H318 - Causes serious eye damage.
<b>Precautionary Statement: Prevention</b>	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P302+P352 - IF ON SKIN: Wash with plenty of water/ . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/ . P321 - Specific treatment (see on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to hazardous waste.

## 2.3. Other hazards

<b>Other hazards</b>	None.
----------------------	-------

## Further information

<b>Labelling notes</b>	EU Detergent statement in accordance with Regulation (EC) No 648/2004: Contains: Anionic surfactants: 15-30%. Non-ionic surfactants: 0%-5%. Amphoteric surfactants 0% - 5%. Allergenic fragrances: 0-5%.
------------------------	--

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Alcohol ethoxylate with 6.5MEO		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
docusate sodium		577-11-7	209-406-4		1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318;
Sodium thioglycolate		367-51-1	206-696-4		1 - 10%	Met. Corr. 1: H290; Acute Tox. 3: H301; Acute Tox. 4: H312; Skin Sens. 1: H317;
Sodium C14-C16 olefin sulphonate		68439-57-6	270-407-8		1 - 10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;
sodium xylene sulphonate		1300-72-7	215-090-9		1 - 10%	Eye Irrit. 2: H319;
Ethanol	603-002-00-5	64-17-5	200-578-6		0 - 0.5%	Flam. Liq. 2: H225;
Methanol	603-001-00-X	67-56-1	200-659-6		0 - 0.5%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370;

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove the affected person from the source of contamination immediately. If unconscious and breathing is OK, place in the recovery position.
<b>Eye contact</b>	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	DO NOT INDUCE VOMITING. If swallowed, rinse mouth with water (only if the person is conscious). Get immediate medical advice/attention.

# Dodo Juice Deep Purple Wheel Cleaner

Revision 4

Revision date 2022-11-14

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause an allergic skin reaction.
Ingestion	Harmful if swallowed.

## 4.3. Indication of any immediate medical attention and special treatment needed

Eye contact	Immediate medical attention is required.
Ingestion	Immediate medical attention is required.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical. Do NOT use water jet.
--	---

### 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

### 5.3. Advice for firefighters

	Self-contained breathing apparatus. Wear protective clothing.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
--	--

### 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

### 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

### 6.4. Reference to other sections

	SECTION 7: Handling and storage. SECTION 8: Exposure controls/personal protection.
--	--

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

### 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
--	--

### 7.3. Specific end use(s)

	Avoid contact with eyes. Wear suitable gloves. Do not breathe gas/fumes/vapour/spray. Do not eat, drink or smoke in areas where this product is used or stored.
--	---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Exposure Limit Values


# Dodo Juice Deep Purple Wheel Cleaner

Revision 4  
Revision date 2022-11-14

## 8.1.1. Exposure Limit Values

Ethanol	WEL 8-hr limit ppm: 1000 WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 1920 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Methanol	WEL 8-hr limit ppm: 200 WEL 15 min limit ppm: 250 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 266 WEL 15 min limit mg/m3: 333 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Potassium hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Sodium hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -

## 8.2. Exposure controls

	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

# Dodo Juice Deep Purple Wheel Cleaner

Revision 4

Revision date 2022-11-14

## 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Colourless/Clear
<b>Odour</b>	Pungent/Perfumes
<b>Odour threshold</b>	No data available
<b>pH</b>	7 - 8
<b>Melting point</b>	No data available
<b>Freezing Point</b>	No data available
<b>Initial boiling point</b>	No data available
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	No data available
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Vapour pressure</b>	No data available
<b>Vapour density</b>	No data available
<b>Relative density</b>	1.044 (H <sub>2</sub> O = 1 @ 20 °C)
<b>Fat Solubility</b>	No data available
<b>Partition coefficient</b>	No data available
<b>Autoignition temperature</b>	No data available
<b>Viscosity</b>	7 sec. 3 mm (ISO 2431)
<b>Explosive properties</b>	Not applicable.
<b>Oxidising properties</b>	No data available
<b>Solubility</b>	Miscible in water

## 9.2. Other information

<b>Conductivity</b>	No data available
<b>Surface tension</b>	No data available
<b>Gas group</b>	No data available
<b>Benzene Content</b>	Not relevant
<b>Lead content</b>	No data available
<b>VOC (Volatile organic compounds)</b>	No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No data is available on this product.

### 10.4. Conditions to avoid

Keep away from heat.

### 10.5. Incompatible materials

Oxidising agents.

### 10.6. Hazardous decomposition products

Will not decompose if stored and used as recommended. Burning produces irritating, toxic and obnoxious fumes.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

HARMFUL IF SWALLOWED. Harmful in contact with skin. May cause sensitisation by skin

## Dodo Juice Deep Purple Wheel Cleaner

Revision 4  
Revision date 2022-11-14

## 11.1. Information on toxicological effects

Acute toxicity	contact.
Skin corrosion/irritation	No data is available on this product.
Serious eye damage/irritation	May cause irritation to skin.
Respiratory or skin sensitisation	Irritating to eyes.
Germ cell mutagenicity	Sensitizer, Skin.
Carcinogenicity	No mutagenic effects reported.
Reproductive toxicity	No data is available on this product.
STOT-single exposure	No data available.
STOT-repeated exposure	No data available.
Aspiration hazard	No Significant Hazard.
Repeated or prolonged exposure	No data is available on this product.

## 11.1.4. Toxicological Information

Alcohol ethoxylate with 6.5MEO	Oral Rat LD50: >200<2000mg/kg	
Ethanol	Oral Rat LD50: 7060mg/l	Inhalation Rat LC50/4 h: 20000mg/l
Sodium C14-C16 olefin sulphonate	Oral Rat LD50: >2000mg/kg	Dermal Rabbit LD50: 6300-13500mg/kg
Sodium thioglycolate	Dermal Rat LD50: 1-2mg/kg	Oral Rat LD50: 50-200mg/kg
sodium xylene sulphonate	Oral Rat LD50: 7200mg/kg	Dermal Rabbit LD50: 2000mg/kg

## SECTION 12: Ecological information

## 12.1. Toxicity

Alcohol ethoxylate with 6.5MEO	Fish LC50/96h: 10.0000 mg/l	
Sodium C14-C16 olefin sulphonate	Daphnia EC50/48h: 4.5300 mg/l	Algae IC50/72h: 5.2000 mg/l
	Fish LC50/96h: 4.2000 mg/l	
Sodium thioglycolate	Daphnia EC50/48h: 38.0000 mg/l	Algae EC50/72h: 13mg/l
	Rainbow trout LC50/96h: >100mg/l	Golden orfe LC50/48h: 880mg/l
sodium xylene sulphonate	Daphnia EC50/48h: 1000.0000 mg/l	Algae IC50/72h: 230.0000 mg/l
	Fish LC50/96h: 1000.0000 mg/l	

## 12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

## 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

## BCF: Bioconcentration factor.

Sodium C14-C16 olefin sulphonate	BCF: Bioconcentration factor. 70.8 L/kg
----------------------------------	---

## Partition coefficient

	Dodo Juice Deep Purple Wheel Cleaner No data available
--	--

## 12.4. Mobility in soil

	Soluble in water.
--	-------------------

## 12.5. Results of PBT and vPvB assessment

# Dodo Juice Deep Purple Wheel Cleaner

Revision 4  
Revision date 2022-11-14

## 12.5. Results of PBT and vPvB assessment

Not determined.

## 12.6. Other adverse effects

None.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of this material and its container to hazardous or special waste collection point. Do not empty into drains.

### General information

Dispose of in compliance with all local and national regulations.

## SECTION 14: Transport information

### 14.1. UN number

The product is not classified as dangerous for carriage.

### 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

### 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

### 14.4. Packing group

The product is not classified as dangerous for carriage.

### 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

### 14.6. Special precautions for user

The product is not classified as dangerous for carriage.

Avoid contact with eyes and skin.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No. 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents.

REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

### 15.2. Chemical safety assessment

No data available.

## SECTION 16: Other information

### Other information

#### Revision

This document differs from the previous version in the following areas:  
2 - 2.1.2. Classification - EC 1272/2008.

# Dodo Juice Deep Purple Wheel Cleaner

Revision 4

Revision date 2022-11-14

## Other information

<p><b>Text of Hazard Statements in Section 3</b></p>	<p>2 - Hazard pictograms.            2 - Signal Word.            2 - Precautionary Statement: Prevention.            2 - Precautionary Statement: Response.            12 - 12.1. Toxicity.</p> <hr/> <p>Acute Tox. 4: H302 - Harmful if swallowed.            Eye Dam. 1: H318 - Causes serious eye damage.            Skin Irrit. 2: H315 - Causes skin irritation.            Met. Corr. 1: H290 - May be corrosive to metals.            Acute Tox. 3: H301 - Toxic if swallowed.            Acute Tox. 4: H312 - Harmful in contact with skin.            Skin Sens. 1: H317 - May cause an allergic skin reaction.            Eye Irrit. 2: H319 - Causes serious eye irritation.            Flam. Liq. 2: H225 - Highly flammable liquid and vapour.            Acute Tox. 3: H311 - Toxic in contact with skin.            Acute Tox. 3: H331 - Toxic if inhaled.            STOT SE 1: H370 - Causes damage to organs .            STOT SE 2: H371 - May cause damage to organs .</p>
--	--

## Further information

	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
--	---