



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

Dodo Juice Ferrous Dueller

Revision 5

Revision date 2021-07-27

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Dodo Juice Ferrous Dueller
--------------	----------------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [PROC11] Non industrial spraying; [ERC8d] Wide dispersive outdoor use of processing aids in open systems; [AC1] Vehicles; ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); [PROC11] Non industrial spraying; [ERC8d] Wide dispersive outdoor use of processing aids in open systems; [AC1] Vehicles;
-------------	---

1.3. Details of the supplier of the safety data sheet

Company	Dodo Juice Limited
Address	Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK
Web	www.dodojuice.com
Telephone	+44(0)1279 812687
Email	factory@dodojuice.com
Email address of the competent person	factory@dodojuice.com

1.4. Emergency telephone number

Emergency telephone number	+44(0)7891 096802
Company	Dodo Juice Ltd 0700-2300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Skin Sens. 1: H317; Eye Dam. 1: H318;
--------------------------------------	---------------------------------------

2.2. Label elements

Hazard pictograms	
-------------------	---

Dodo Juice Ferrous Dueller

Revision 5

Revision date 2021-07-27

2.2. Label elements

Signal Word	Danger
Hazard Statement	Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Dam. 1: H318 - Causes serious eye damage.
Precautionary Statement: Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/ . P321 - Specific treatment (see on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to hazardous waste.

2.3. Other hazards

Other hazards	None.
----------------------	-------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Dodo Juice Ferrous Dueller

Revision 5

Revision date 2021-07-27

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Alcohol ethoxylate with 6.5MEO		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
docusate sodium		577-11-7	209-406-4		1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318;
Sodium C14-C16 olefin sulphonate		68439-57-6	270-407-8		1 - 10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;
Sodium thioglycolate		367-51-1	206-696-4		10 - 20%	Met. Corr. 1: H290; Acute Tox. 3: H301; Acute Tox. 4: H312; Skin Sens. 1: H317;
sodium xylene sulphonate		1300-72-7	215-090-9		1 - 10%	Eye Irrit. 2: H319;
Sodium C10-16 alkyl ethoxy sulphate		68585-34-2			1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318;
Ethanol	603-002-00-5	64-17-5	200-578-6		0 - 0.5%	Flam. Liq. 2: H225;
(R)-p-Mentha-1,8-diene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Eucalyptol		470-82-6	207-431-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Sens. 1: H317;
2-Octanone		111-13-7	203-837-1		0 - 0.5%	Flam. Liq. 3: H226;
Ethyl butyrate		105-54-4	203-306-4		0 - 0.5%	Flam. Liq. 3: H226; Eye Irrit. 2: H319;
Beta-pinene		127-91-3	204-872-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
para-Cymene		99-87-6	202-796-7		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 2: H411;
Ethyl acetate	607-022-00-5	141-78-6	205-500-4		0 - 0.5%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
p-Mentha-1,4-diene		99-85-4	202-794-6		0 - 0.5%	Flam. Liq. 1: H224; Asp. Tox. 1: H304;
alpha-Pinene		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Acute Tox. 4: H302; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
Terpinolene		586-62-9	209-578-0		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 2: H411;
Methanol	603-001-00-X	67-56-1	200-659-6		0 - 0.5%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370;
L-Limonene	601-029-00-7	5989-54-8	227-815-6		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Camphene		79-92-5	201-234-8		0 - 0.5%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one		76-22-2	200-945-0		0 - 0.5%	Flam. Sol. 2: H228; Acute Tox. 4: H302; Acute Tox. 4: H302+H332; Skin Irrit. 2: H315; Eye Dam. 1: H318; Acute Tox. 4: H332; STOT SE 2: H371; Aquatic Chronic 2: H411;
Myrcene		123-35-3	204-622-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;

SECTION 4: First aid measures

Dodo Juice Ferrous Dueller

Revision 5
Revision date 2021-07-27

4.1. Description of first aid measures

Inhalation	Remove the affected person from the source of contamination immediately. If unconscious and breathing is OK, place in the recovery position.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING. If swallowed, rinse mouth with water (only if the person is conscious). Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Risk of serious damage to eyes.
Skin contact	May cause an allergic skin reaction.
Ingestion	Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Eye contact	Remove the affected person from the source of contamination immediately. Immediate medical attention is required.
Ingestion	Immediate medical attention is required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical. Do NOT use water jet.
--	---

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

5.3. Advice for firefighters

	Self-contained breathing apparatus. Wear protective clothing.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
--	--

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

6.4. Reference to other sections

	SECTION 7: Handling and storage. SECTION 8: Exposure controls/personal protection.
--	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
--	--

7.3. Specific end use(s)

	Avoid contact with eyes. Wear suitable gloves. Do not breathe gas/fumes/vapour/spray. Do not eat, drink or smoke in areas where this product is used or stored.
--	---

Dodo Juice Ferrous Dueller

Revision 5

Revision date 2021-07-27


SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

(R)-p-Mentha-1,8-diene	WEL 8-hr limit ppm: 100 WEL 15 min limit ppm: 150 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Ethanol	WEL 8-hr limit ppm: 1000 WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 1920 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Ethyl acetate	WEL 8-hr limit ppm: 200 WEL 15 min limit ppm: 400 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Methanol	WEL 8-hr limit ppm: 200 WEL 15 min limit ppm: 250 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 266 WEL 15 min limit mg/m3: 333 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Potassium hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Sodium hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -

8.2. Exposure controls

	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).

SECTION 9: Physical and chemical properties

Dodo Juice Ferrous Dueller

Revision 5

Revision date 2021-07-27

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Pungent/Perfumes
Odour threshold	No data available
pH	7 - 8
Melting point	Not applicable.
Freezing Point	No data available
Initial boiling point	No data available
Flash point	Not applicable.
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable.
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.08 (H ₂ O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	7 sec. 3 mm (ISO 2431)
Explosive properties	Not applicable.
Oxidising properties	No data available
Solubility	Miscible in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic compounds)	< 1 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions.
--	---------------------------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	No data is available on this product.
--	---------------------------------------

10.4. Conditions to avoid

	Keep away from heat.
--	----------------------

10.5. Incompatible materials

	Oxidising agents.
--	-------------------

10.6. Hazardous decomposition products

	Will not decompose if stored and used as recommended. Burning produces irritating, toxic and obnoxious fumes.
--	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
-----------------------	---------------------------------------

Dodo Juice Ferrous Dueller

Revision 5

Revision date 2021-07-27

11.1. Information on toxicological effects

Skin corrosion/irritation	Irritating to skin.
Serious eye damage/irritation	Risk of serious damage to eyes.
Respiratory or skin sensitisation	May cause sensitisation by skin contact.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
STOT-single exposure	No data is available on this product.
STOT-repeated exposure	No data is available on this product.
Aspiration hazard	No Significant Hazard.
Repeated or prolonged exposure	No data is available on this product.

11.1.4. Toxicological Information

(R)-p-Mentha-1,8-diene	Oral Rat LD50: 4400mg/kg	Dermal Rabbit LD50: >5000mg/kg
Alcohol ethoxylate with 6.5MEO	Oral Rat LD50: >200<2000mg/kg	
Ethanol	Oral Rat LD50: 7060mg/l	Inhalation Rat LC50/4 h: 20000mg/l
Sodium C14-C16 olefin sulphonate	Oral Rat LD50: >2000mg/kg	Dermal Rabbit LD50: 6300-13500mg/kg
Sodium thioglycolate	Dermal Rat LD50: 1-2mg/kg	Oral Rat LD50: 50-200mg/kg
sodium xylene sulphonate	Oral Rat LD50: 7200mg/kg	Dermal Rabbit LD50: 2000mg/kg

SECTION 12: Ecological information

12.1. Toxicity

(R)-p-Mentha-1,8-diene	Daphnia EC50/48h: 69.6 mg/l	Fathead minnows LC50/96h: 0.702mg/l
Alcohol ethoxylate with 6.5MEO	Fish LC50/96h: 10.0000 mg/l	
Sodium C14-C16 olefin sulphonate	Daphnia EC50/48h: 4.5300 mg/l	Algae IC50/72h: 5.2000 mg/l
	Fish LC50/96h: 4.2000 mg/l	
Sodium thioglycolate	Daphnia EC50/48h: 38.0000 mg/l	Algae EC50/72h: 13mg/l
	Rainbow trout LC50/96h: >100mg/l	Golden orfe LC50/48h: 880mg/l
sodium xylene sulphonate	Daphnia EC50/48h: 1000.0000 mg/l	Algae IC50/72h: 230.0000 mg/l
	Fish LC50/96h: 1000.0000 mg/l	

12.2. Persistence and degradability

	Readily biodegradable.
--	------------------------

12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

BCF: Bioconcentration factor.

Sodium C14-C16 olefin sulphonate	BCF: Bioconcentration factor. 70.8 L/kg
----------------------------------	---

Partition coefficient

	Dodo Juice Ferrous Dueller No data available
--	--

12.4. Mobility in soil

	Soluble in water.
--	-------------------

12.5. Results of PBT and vPvB assessment

Dodo Juice Ferrous Dueller

Revision 5
Revision date 2021-07-27

12.5. Results of PBT and vPvB assessment

Not determined.

12.6. Other adverse effects

None.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of this material and its container to hazardous or special waste collection point. Do not empty into drains.

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

Avoid contact with eyes and skin.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 2 - Hazard pictograms.
- 9 - 9.1. Information on basic physical and chemical properties (Viscosity).
- 11 - Skin corrosion/irritation.
- 11 - STOT-repeated exposure.
- 12 - 12.1. Toxicity.

Dodo Juice Ferrous Dueller

Revision 5

Revision date 2021-07-27

Other information

Text of Hazard Statements in Section 3	<p>Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. Met. Corr. 1: H290 - May be corrosive to metals. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 4: H312 - Harmful in contact with skin. Skin Sens. 1: H317 - May cause an allergic skin reaction. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Flam. Liq. 3: H226 - Flammable liquid and vapour. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. EUH066 - Repeated exposure may cause skin dryness or cracking. STOT SE 3: H336 - May cause drowsiness or dizziness. Flam. Liq. 1: H224 - Extremely flammable liquid and vapour. Acute Tox. 3: H311 - Toxic in contact with skin. Acute Tox. 3: H331 - Toxic if inhaled. STOT SE 1: H370 - Causes damage to organs . STOT SE 2: H371 - May cause damage to organs . Flam. Sol. 2: H228 - Flammable solid. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled</p>
Maximum content of VOC	1 g/l.

Further information

	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
--	---