



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

Dodo Juice Pneu Look Tyre and Trim Cleaner

Revision 0

Revision date 2021-03-25

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|--------------|--|
| Product name | Dodo Juice Pneu Look Tyre and Trim Cleaner |
|--------------|--|

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-------------|---|
| Product Use | [SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles; ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles; |
|-------------|---|

1.3. Details of the supplier of the safety data sheet

| | |
|---------------------------------------|--|
| Company | Dodo Juice Limited |
| Address | Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK |
| Web | www.dodojuice.com |
| Telephone | +44(0)1279 812687 |
| Email | factory@dodojuice.com |
| Email address of the competent person | factory@dodojuice.com |

1.4. Emergency telephone number


| | |
|----------------------------|-----------------------------|
| Emergency telephone number | +44(0)7891 096802 |
| Company | Dodo Juice Ltd 0700-2300 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

| | |
|--------------------------------------|---|
| 2.1.2. Classification - EC 1272/2008 | Acute Tox. 4: H302; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; Aquatic Chronic 3: H412; |
|--------------------------------------|---|

2.2. Label elements

| | |
|-------------------|---|
| Hazard pictograms |  |
|-------------------|---|

2.3. Other hazards

Dodo Juice Pneu Look Tyre and Trim Cleaner

Revision 0
Revision date 2021-03-25

2.3. Other hazards

| | |
|---------------|-------|
| Other hazards | None. |
|---------------|-------|

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|---|--------------|------------|-----------|---------------------------|--------------|--|
| 2-Amino-2-methylpropanol | 603-070-00-6 | 124-68-5 | 204-709-8 | | | Eye Irrit. 2: H319; Skin Irrit. 2: H315; Aquatic Chronic 3: H412; |
| Sodium C14-C16 olefin sulphonate | | 68439-57-6 | 270-407-8 | | | Skin Irrit. 2: H315; Eye Irrit. 2: H319; |
| sodium xylene sulphonate | | 1300-72-7 | 215-090-9 | | | Eye Irrit. 2: H319; |
| Alcohol ethoxylate with 6.5MEO | | 68439-46-3 | | | | Acute Tox. 4: H302; Eye Dam. 1: H318; |
| Ethylene glycol monobutyl ether | 603-014-00-0 | 111-76-2 | 203-905-0 | | | Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315; |
| sodium metasilicate pentahydrate | | 10213-79-3 | 229-912-9 | | | Skin Corr. 1B: H314; STOT SE 3: H335; |
| Orange Oil Terpenes | | 8028-48-6 | 232-433-8 | | | Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410; |
| MMB (3-methoxy-3-methyl-1-butanol) | | 56539-66-3 | 260-252-4 | | | Eye Irrit. 2: H319; |
| 5-Chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] {3 parts of} and 2-Methyl-4-isothiazolin-3-one [EC No 220-239-6] {1 part of}, mixture of | 613-167-00-5 | 55965-84-9 | | | | Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|--------------|---|
| Inhalation | Move the exposed person to fresh air. |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention. |
| Skin contact | Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist. |
| Ingestion | DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--------------|--|
| Inhalation | May cause irritation to mucous membranes. |
| Eye contact | Risk of serious damage to eyes. |
| Skin contact | Irritating to skin. May cause sensitisation by skin contact. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-------------|--|
| Eye contact | Immediate medical attention is required. |
| Ingestion | Immediate medical attention is required. |

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--|---|
| | Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam. |
|--|---|

5.2. Special hazards arising from the substance or mixture

Dodo Juice Pneu Look Tyre and Trim Cleaner

Revision 0
Revision date 2021-03-25

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

SECTION 7: Handling and storage. SECTION 8: Exposure controls/personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

7.3. Specific end use(s)

Do not breathe gas/fumes/vapour/spray.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

| | | |
|---------------------------------|--|--|
| Ethylene glycol monobutyl ether | WEL 8-hr limit ppm: 25 | WEL 8-hr limit mg/m3: 123 |
| | WEL 15 min limit ppm: 50 | WEL 15 min limit mg/m3: 101.2 |
| | WEL 8-hr limit mg/m3 total - inhalable dust: | WEL 15 min limit mg/m3 total - inhalable dust: |
| | WEL 8-hr limit mg/m3 total - respirable dust: | WEL 15 min limit mg/m3 total - respirable dust: |
| | | |
| | | |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Wear chemical protective clothing.

Eye / face protection

Approved safety goggles.

Skin protection - Handprotection

Chemical resistant gloves (PVC).

Respiratory protection

Self-contained breathing apparatus. Wear protective clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Dodo Juice Pneu Look Tyre and Trim Cleaner

Revision 0

Revision date 2021-03-25

9.1. Information on basic physical and chemical properties

| | |
|----------------------------------|--------------------------------------|
| Appearance | Liquid |
| Colour | Pink |
| Odour | Perfumes |
| Odour threshold | No data available |
| pH | 12.5 - 13 |
| Melting point | Not applicable. |
| Freezing Point | No data available |
| Initial boiling point | No data available |
| Flash point | No data available |
| Evaporation rate | No data available |
| Flammability (solid, gas) | Not applicable. |
| Vapour pressure | No data available |
| Vapour density | No data available |
| Relative density | 0.993 (H ₂ O = 1 @ 20 °C) |
| Fat Solubility | No data available |
| Partition coefficient | No data available |
| Autoignition temperature | No data available |
| Viscosity | 8 sec. 3 mm (ISO 2431) |
| Explosive properties | No data available |
| Oxidising properties | No data available |
| Solubility | Miscible in water |

9.2. Other information

| | |
|---|-------------------|
| Conductivity | No data available |
| Surface tension | No data available |
| Gas group | No data available |
| VOC (Volatile organic compounds) | 105 g/l |

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|--|---------------------------------|
| | Stable under normal conditions. |
|--|---------------------------------|

10.2. Chemical stability

| | |
|--|---------------------------------|
| | Stable under normal conditions. |
|--|---------------------------------|

10.3. Possibility of hazardous reactions

| | |
|--|------------------------|
| | No Significant Hazard. |
|--|------------------------|

10.4. Conditions to avoid

| | |
|--|-------|
| | None. |
|--|-------|

10.5. Incompatible materials

| | |
|--|-------|
| | None. |
|--|-------|

10.6. Hazardous decomposition products

| | |
|--|---|
| | Will not decompose if stored and used as recommended. |
|--|---|

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|--------------------------------------|---------------------------------------|
| Acute toxicity | No data is available on this product. |
| Skin corrosion/irritation | Irritating to skin. |
| Serious eye damage/irritation | Risk of serious damage to eyes. |

Dodo Juice Pneu Look Tyre and Trim Cleaner

Revision 0

Revision date 2021-03-25

11.1. Information on toxicological effects

| | |
|-----------------------------------|--|
| Respiratory or skin sensitisation | May cause sensitisation by skin contact. |
| Germ cell mutagenicity | No data is available on this product. |
| Carcinogenicity | No data is available on this product. |
| Reproductive toxicity | No data is available on this product. |
| STOT-single exposure | No data is available on this product. |
| STOT-repeated exposure | No data is available on this product. |
| Aspiration hazard | No data is available on this product. |
| Repeated or prolonged exposure | May cause irritation to skin, eyes and mucous membranes. |

11.1.4. Toxicological Information

| | | |
|----------------------------------|----------------------------------|-------------------------------------|
| 2-Amino-2-methylpropanol | Oral Rat LD50: 2900mg/kg | Oral Mouse LD50: 2150mg/kg |
| Alcohol ethoxylate with 6.5MEO | Oral Rat LD50: >200<2000mg/kg | |
| Ethylene glycol monobutyl ether | Inhalation Rat LC50/4 h: 2.4mg/l | Oral Rat LD50: 470mg/kg |
| Orange Oil Terpenes | Oral Rat LD50: >5000mg/kg | |
| Sodium C14-C16 olefin sulphonate | Oral Rat LD50: >2000mg/kg | Dermal Rabbit LD50: 6300-13500mg/kg |
| sodium metasilicate pentahydrate | Oral Rat LD50: 1280mg/kg | Oral Mouse LD50: 770mg/kg |

SECTION 12: Ecological information

12.1. Toxicity

| | | |
|------------------------------------|--|---|
| 2-Amino-2-methylpropanol | Lepomis_Macrochirus LC50/96h: 190mg/l | |
| Alcohol ethoxylate with 6.5MEO | Fish LC50/96h: 10.0000 mg/l | |
| Ethylene glycol monobutyl ether | Daphnia EC50/48h: 1000 mg/l | Fish LC50/96h: 1700.0000 mg/l |
| MMB (3-methoxy-3-methyl-1-butanol) | NOEC / EC10 for marine or freshwater organisms >1000.0000 mg/l LC50 for marine or freshwater organisms >100.0000 mg/l | EC50 for marine or freshwater organisms >1000.0000 mg/l |
| Orange Oil Terpenes | Daphnia EC50/48h: 12.3000 mg/l NOEC / EC10 for marine or freshwater organisms >68.0000 mg/l | Algae EC50/72h: 67.6mg/l |
| Sodium C14-C16 olefin sulphonate | Daphnia EC50/48h: 4.5300 mg/l | Algae IC50/72h: 5.2000 mg/l |
| sodium metasilicate pentahydrate | Fish LC50/96h: 4.2000 mg/l Daphnia EC50/48h: 4857 mg/l | Fish LC50/96h: 3185.0000 mg/l |

12.2. Persistence and degradability

| | |
|--|------------------------------|
| | More than 90% biodegradable. |
|--|------------------------------|

12.3. Bioaccumulative potential

| | |
|--|---------------------------------------|
| | No data is available on this product. |
|--|---------------------------------------|

BCF: Bioconcentration factor.

| | |
|----------------------------------|---|
| Sodium C14-C16 olefin sulphonate | BCF: Bioconcentration factor. 70.8 L/kg |
|----------------------------------|---|

Partition coefficient

| | |
|--|--|
| | Dodo Juice Pneu Look Tyre and Trim Cleaner No data available |
|--|--|

Dodo Juice Pneu Look Tyre and Trim Cleaner

Revision 0

Revision date 2021-03-25

12.4. Mobility in soil

Soluble in water.

12.5. Results of PBT and vPvB assessment

Not determined.

12.6. Other adverse effects

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

07 06 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics.
Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

Avoid contact with eyes and skin. Do not breathe gas/fumes/vapour/spray.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information

Other information

Text of Hazard Statements in Section 3

Skin Irrit. 2: H315 - Causes skin irritation.
Eye Irrit. 2: H319 - Causes serious eye irritation.

Dodo Juice Pneu Look Tyre and Trim Cleaner

Revision 0

Revision date 2021-03-25

Other information

| | |
|-------------------------------|--|
| | <p>Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Acute Tox. 4: H312 - Harmful in contact with skin. Acute Tox. 4: H332 - Harmful if inhaled. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation. Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H311 - Toxic in contact with skin. Acute Tox. 3: H331 - Toxic if inhaled. Aquatic Acute 1: H400 - Very toxic to aquatic life.</p> |
| Maximum content of VOC | 105 g/l. |

Further information

| | |
|--|---|
| | <p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p> |
|--|---|