



# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/6

## Dodo Juice Slip Shot Clay Lube Concentrate

Revision 0

Revision date 2021-03-29

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Dodo Juice Slip Shot Clay Lube Concentrate
--------------	--

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles; ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles;
-------------	---

#### 1.3. Details of the supplier of the safety data sheet

Company	Dodo Juice Limited
Address	Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK
Web	www.dodojuice.com
Telephone	+44(0)1279 812687
Email	factory@dodojuice.com
Email address of the competent person	factory@dodojuice.com

#### 1.4. Emergency telephone number

Emergency telephone number	+44(0)7891 096802
Company	Dodo Juice Ltd 0700-2300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	No Significant Hazard.
--------------------------------------	------------------------

#### 2.3. Other hazards

Other hazards	None.
---------------	-------

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## Dodo Juice Slip Shot Clay Lube Concentrate

Revision 0

Revision date 2021-03-29

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Amides, C8-18 (even numbered) and C18 (unsatd), N,N-bis(hydroxyethyl) tetrasodium ethylene diamine tetraacetate .	607-428-00-2	64-02-8	200-573-9			Acute Tox. 4: H302; Eye Dam. 1: H318;
Sodium C14-C16 olefin sulphonate		68439-57-6	270-407-8			Skin Irrit. 2: H315; Eye Irrit. 2: H319;
Sodium C10-16 alkyl ethoxy sulphate		68585-34-2				Skin Irrit. 2: H315; Eye Dam. 1: H318;
2,2'-Iminodiethanol	603-071-00-1	111-42-2	203-868-0			Acute Tox. 4: H302; STOT RE 2: H373; Skin Irrit. 2: H315; Eye Dam. 1: H318;
1,2-Benzisothiazol-3(2H)-one	613-088-00-6	2634-33-5	220-120-9			Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Acute 1: H400;
Benzyl alcohol	603-057-00-5	100-51-6	202-859-9			Acute Tox. 4: H332; Acute Tox. 4: H302;
N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine		2372-82-9	219-145-8			Acute Tox. 3: H301; Skin Corr. 1B: H314; STOT RE 2: H373; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Ethyl methylphenylglycidate		77-83-8	201-061-8			Aquatic Chronic 3: H412;
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5			Skin Corr. 1A: H314;
Sodium carbonate	011-005-00-2	497-19-8	207-838-8			Eye Irrit. 2: H319;
Potassium hydroxide	019-002-00-8	1310-58-3	215-181-3			Acute Tox. 4: H302; Skin Corr. 1A: H314;
Pyridine-2-thiol-1-oxide, sodium salt		3811-73-2	223-296-5			Acute Tox. 4: H302; Acute Tox. 4: H312; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Acute Tox. 4: H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
dl-citronellol		106-22-9	203-375-0			Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
Surfac Citric Acid Mono BP		5949-29-1	201-069-1			Eye Irrit. 2: H319;
5-Chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] {3 parts of} and 2-Methyl-4-isothiazolin-3-one [EC No 220-239-6] {1 part of}, mixture of	613-167-00-5	55965-84-9				Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to mucous membranes.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.

## 4.3. Indication of any immediate medical attention and special treatment needed

# Dodo Juice Slip Shot Clay Lube Concentrate

Revision 0  
Revision date 2021-03-29

## 4.3. Indication of any immediate medical attention and special treatment needed

None.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

### 5.2. Special hazards arising from the substance or mixture

No Significant Hazard.

### 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Surfaces contaminated with the product will become slippery.

### 6.2. Environmental precautions

Prevent further spillage if safe.

### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

### 6.4. Reference to other sections

SECTION 7: Handling and storage. SECTION 8: Exposure controls/personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

### 7.2. Conditions for safe storage, including any incompatibilities

No storage requirements.

### 7.3. Specific end use(s)

Wear suitable gloves.

## SECTION 8: Exposure controls/personal protection

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Not normally required.

#### Eye / face protection

In case of splashing, wear: Approved safety goggles.

#### Skin protection - Handprotection

Wear suitable gloves.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

## Dodo Juice Slip Shot Clay Lube Concentrate

Revision 0

Revision date 2021-03-29

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Orange
Odour	Perfumes
pH	7.5 - 8
Relative density	1 (Water = 1 @ 20 °C)
Viscosity	8 sec. 3 mm (ISO 2431)
Solubility	Soluble in water

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

	No Significant Hazard.
--	------------------------

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	No Significant Hazard.
--	------------------------

## 10.4. Conditions to avoid

	None.
--	-------

## 10.5. Incompatible materials

	None.
--	-------

## 10.6. Hazardous decomposition products

	Burning produces obnoxious and irritating fumes.
--	--

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity	No Significant Hazard.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitisation	No Significant Hazard.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
STOT-single exposure	No Significant Hazard.
STOT-repeated exposure	No Significant Hazard.
Aspiration hazard	No Significant Hazard.
Repeated or prolonged exposure	No Significant Hazard.

## 11.1.4. Toxicological Information

Sodium C14-C16 olefin sulphonate	Oral Rat LD50: >2000mg/kg	Dermal Rabbit LD50: 6300-13500mg/kg
----------------------------------	---------------------------	-------------------------------------

## SECTION 12: Ecological information

## 12.1. Toxicity

Sodium C14-C16 olefin sulphonate	Daphnia EC50/48h: 4.5300 mg/l	Algae IC50/72h: 5.2000 mg/l
	Fish LC50/96h: 4.2000 mg/l	

# Dodo Juice Slip Shot Clay Lube Concentrate

Revision 0

Revision date 2021-03-29

## 12.2. Persistence and degradability

	Readily biodegradable.
--	------------------------

## 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

## BCF: Bioconcentration factor.

Sodium C14-C16 olefin sulphonate	BCF: Bioconcentration factor. 70.8 L/kg
----------------------------------	---

## 12.4. Mobility in soil

	Miscible in water.
--	--------------------

## 12.5. Results of PBT and vPvB assessment

	No data available.
--	--------------------

## 12.6. Other adverse effects

	None.
--	-------

## SECTION 13: Disposal considerations

### General information

	Dispose of in compliance with all local and national regulations.
--	---

### Disposal methods

	Flush down the drain with plenty of water.
--	--

## SECTION 14: Transport information

### 14.1. UN number

	The product is not classified as dangerous for carriage.
--	--

### 14.2. UN proper shipping name

	The product is not classified as dangerous for carriage.
--	--

### 14.3. Transport hazard class(es)

	The product is not classified as dangerous for carriage.
--	--

### 14.4. Packing group

	The product is not classified as dangerous for carriage.
--	--

### 14.5. Environmental hazards

	The product is not classified as dangerous for carriage.
--	--

### 14.6. Special precautions for user

	The product is not classified as dangerous for carriage.
--	--

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

	The product is not classified as dangerous for carriage.
--	--

### Further information

	The product is not classified as dangerous for carriage.
--	--

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,
-------------	---

# Dodo Juice Slip Shot Clay Lube Concentrate

Revision 0

Revision date 2021-03-29

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

93/105/EC and 2000/21/EC.

## 15.2. Chemical safety assessment

No data is available on this product.

## SECTION 16: Other information

### Other information

<b>Text of Hazard Statements in Section 3</b>	<p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Eye Dam. 1: H318 - Causes serious eye damage.</p> <p>Acute Tox. 4: H302 - Harmful if swallowed.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .</p> <p>Skin Sens. 1: H317 - May cause an allergic skin reaction.</p> <p>Aquatic Acute 1: H400 - Very toxic to aquatic life.</p> <p>Acute Tox. 4: H332 - Harmful if inhaled.</p> <p>Acute Tox. 3: H301 - Toxic if swallowed.</p> <p>Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.</p> <p>Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.</p> <p>Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.</p> <p>Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.</p> <p>Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled</p> <p>Acute Tox. 3: H311 - Toxic in contact with skin.</p> <p>Acute Tox. 3: H331 - Toxic if inhaled.</p>
<b>Maximum content of VOC</b>	0 g/l.

### Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.