

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

Dodo Juice Tarmalade

Revision 2
Revision date 2021-06-11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use

[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC31] Polishes and wax blends; [AC1] Vehicles;

[SU21] Consumer uses: Private households (= general public = consumers); [PC31] Polishes and wax blends; [AC1] Vehicles;

1.3. Details of the supplier of the safety data sheet

Company

Dodo Juice Limited

Address Unit 10

Golds Nurseries Business Park

Jenkins Drive Elsenham Bishops Stortford CM22 6JX

UK

Webwww.dodojuice.comTelephone+44(0)1279 812687Emailfactory@dodojuice.comEmail address of thefactory@dodojuice.com

Email address of the competent person

1.4. Emergency telephone number

Emergency telephone number

Company

+44(0)7891 096802 Dodo Juice Ltd

0700-2300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

: EUH066; Skin Sens. 1: H317; Aquatic Chronic 2: H411;

2.2. Label elements

Hazard pictograms





Signal Word

Hazard Statement

Warning

EUH066 - Repeated exposure may cause skin dryness or cracking.

ChemSoft EH&S

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Powered by

Revision 2 Revision date 2021-06-11

9	9	_		م ا	۱.		_	-4	_
~	~	aı	ገዶ	_	ΙО	m	ΔI	٦ī	е

	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
Prevention	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ soap.
Response	P321 - Specific treatment (see on this label).
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P391 - Collect spillage.
Precautionary Statement:	P501 - Dispose of contents/container to local and national regulations
Disposal	
2.3. Other hazards	

Other hazards	None.
---------------	-------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics			926-141-6		40 - 50%	EUH066; Asp. Tox. 1: H304;
Orange Oil Terpenes		8028-48-6	232-433-8		1 - 10%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move the exposed person to fresh air.			
Eye contact Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek attention if irritation or symptoms persist.			
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.		
Ingestion	DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.		
4.2 Most important symptoms and effects, both acute and delayed			

Inhalation May cause irritation to mucous membranes.	
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin. Repeated exposure may cause skin dryness or cracking.
Ingestion	Ingestion may cause nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical. Water spray. Do NOT use water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

Revision 2
Revision date 2021-06-11

		Revision date 2021-06-1
SECTION 6: Accidental relea	ase measures	
3.1. Personal precautions, prote	ctive equipment and emergency procedures	3
	Ensure adequate ventilation of the workin become slippery.	g area. Surfaces contaminated with the product will
6.2. Environmental precautions		
	Do not allow product to enter drains. Prev	ent further spillage if safe.
6.3. Methods and material for co	ntainment and cleaning up	
	Sweep up. Transfer to suitable, labelled c	ontainers for disposal.
6.4. Reference to other sections		
	SECTION 8: Exposure controls/personal	protection.
SECTION 7: Handling and si	orage	
7.1. Precautions for safe handlin	g	
	Avoid contact with eyes and skin. Ensure Manual Handling considerations when ha	adequate ventilation of the working area. Adopt best ndling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities	
	Keep in a cool, dry, well ventilated area. k containers.	Keep containers tightly closed. Store in correctly labelled
7.3. Specific end use(s)		
	Avoid prolonged or repeated exposure. W	ash hands after handling the product.
SECTION 8: Exposure contr	ols/personal protection	
8.1. Control parameters	· ·	
Paramana Paramana		
8.1.1. Exposure Limit Values		
Hydrocarbons, C11-14,	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 1200
n-alkanes, isoalkanes, cyclic,	WEE 6-III IIIIII PPIII.	WEE O-III IIIIII III III III II 1200
<2% aromatics	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
8.2. Exposure controls		
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the workin	g area.
8.2.2. Individual protection measures	Wear suitable protective clothing.	
Eye / face protection	Not normally required. Avoid contact with	eyes.
Lyo / laco protoction		
Skin protection -	Chemical resistant gloves (PVC).	
•	Chemical resistant gloves (PVC).	

9.1. Information on basic physical and chemical properties

Revision 2
Revision date 2021-06-11

9.1. Information on basic physical and chemical properties

Appearance Solid Colour Orange Odour Pleasant No data available Odour threshold Not applicable. pН Melting point 30 - 55 °C Freezing Point No data available Initial boiling point No data available Flash point > 70 °C (ASTM D-93) **Evaporation rate** No data available Flammability (solid, gas) No data available Vapour pressure No data available Vapour density No data available 0.844 (H2O = 1 @ 20 °C) Relative density **Fat Solubility** No data available Partition coefficient No data available Autoignition temperature No data available Viscosity 10000 x 10-6 m²/s @ 40 °C (ISO 3104/3105) **Explosive properties** No data available Oxidising properties No data available

9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available

SECTION 10: Stability and reactivity

Solubility

10.1. Reactivity

No Significant Hazard.

Insoluble in water

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

Burning produces irritating, toxic and obnoxious fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

May cause irritation to eyes and respiratory system.

Revision 2
Revision date 2021-06-11

11.1. Information on toxicological effects No data is available on this product. Acute toxicity Skin corrosion/irritation May cause degreasing of the skin. Serious eye damage/irritation May cause irritation to eyes. Respiratory or skin May cause allergic reactions in susceptible people. sensitisation Germ cell mutagenicity No data is available on this product. Carcinogenicity No data is available on this product. Reproductive toxicity No data is available on this product. No data is available on this product. STOT-single exposure STOT-repeated exposure No data is available on this product. Aspiration hazard No Significant Hazard. Repeated or prolonged May cause degreasing of the skin. exposure 11.1.4. Toxicological Information Hydrocarbons, C11-14, Oral Rat LD50: 5000mg/kg Dermal Rabbit LD50: 5000mg/kg n-alkanes, isoalkanes, cyclic, <2% aromatics Inhalation Rat LC50/4 h: >5000mg/l

SECTION 12: Ecological information

12.1. Toxicity

Orange Oil Terpenes

Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics	Algae IC50/72h: 20.0000 mg/l	Algae EC50/72h: >1000mg/l
	Daphnia LC50/48h: >1000 mg/l	Rainbow trout LC50/96h: >1000mg/l
	NOEC / EC10 for marine or 1.2200 mg/l	
	freshwater organisms	
Orange Oil Terpenes	Daphnia EC50/48h: 12.3000 mg/l	Algae EC50/72h: 67.6mg/l
	NOEC / EC10 for marine or >68.0000 mg/l	
	freshwater organisms	

Oral Rat LD50: >5000mg/kg

12.2. Persistence and degradability

Expected to be biodegradable.

12.3. Bioaccumulative potential

No data is available on this product.

Partition coefficient

Dodo Juice Tarmalade No data available

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

No data is available on this product.

12.6. Other adverse effects

None.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Revision 2

	Revision date 2021-06-
13.1. Waste treatment method	s
	07 06 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics.
General information	
	Dispose of in compliance with all local and national regulations.
Disposal methods	
	Can be incinerated if in compliance with local regulations.
SECTION 14: Transport in	
Hazard pictograms	
14.1. UN number	<u>'</u>
	UN3077
14.2. UN proper shipping nam	е
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
14.3. Transport hazard class(e	es)
ADR/RID	9
Subsidiary risk	1 -
IMDG	9
Subsidiary risk	-
IATA	9
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	Yes
Marine pollutant	Yes
ADR/RID	
Hazard ID	90
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-F
IATA	
Packing Instruction (Cargo)	956
Maximum quantity	400 kg
Packing Instruction (Passenger)	956
Maximum quantity	400 kg
Further information	
	The product is not classified as dangerous for carriage

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The product is not classified as dangerous for carriage.

Revision 2
Revision date 2021-06-11

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	2 - Hazard pictograms.
	9 - 9.1. Information on basic physical and chemical properties (Odour).
	9 - 9.1. Information on basic physical and chemical properties (PH).
	9 - 9.1. Information on basic physical and chemical properties (Relative density).
	11 - Respiratory or skin sensitisation.
Text of Hazard Statements in	EUH066 - Repeated exposure may cause skin dryness or cracking.
Section 3	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Maximum content of VOC	343 g/l.
Further information	

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.