

## SAFETY DATA SHEET according to Regulation (EU) 2015/830

**Page** 1/7

# Supernatural Citrus TFR

 Revision
 1

 Revision date
 2022-07-07

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Product name	ame Supernatural Citrus TFR		
1.2. Relevant identified uses of t	he substance or mixture and uses advised against		
Product Use	<ul> <li>[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles;</li> <li></li> <li>[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles;</li> </ul>		
1.3. Details of the supplier of the	e safety data sheet		
Company	Dodo Juice Limited		
Address	Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK		
Web	www.dodojuice.com		
Telephone	+44(0)1279 812687		
Email	factory@dodojuice.com		
Email address of the competent person	factory@dodojuice.com		
1.4. Emergency telephone numb	ber		
Emergency telephone number	+44(0)7891 096802		

	inergency telephone number	+44(0)7691 090602
C	Company	Dodo Juice Ltd
		0700-2300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation.

# Supernatural Citrus TFR

**Revision** 1 **Revision date** 2022-07-07

2.2.	Label	elements
------	-------	----------

	Skin Sens. 1: H317 - May cause an allergic skin reaction.		
	Eye Dam. 1: H318 - Causes serious eye damage.		
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.		
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.		
Prevention	P264 - Wash thoroughly after handling.		
	P272 - Contaminated work clothing should not be allowed out of the workplace.		
	P273 - Avoid release to the environment.		
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .		
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
	lenses, if present and easy to do. Continue rinsing.		
	P310 -Immediately call a POISON CENTER/doctor/ .		
	P321 - Specific treatment (see on this label).		
	P332+P313 - If skin irritation occurs: Get medical advice/attention.		
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.		
Precautionary Statement:	P501 - Dispose of contents/container to hazardous waste.		
Disposal			
2.3. Other hazards			
Other hazards	None.		
SECTION 3: Composition/in	formation on ingredients		

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Sodium C14-C16 olefin sulphonate		68439-57-6	270-407-8		1 - 10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;
Alcohol ethoxylate with 6.5MEO		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
sodium metasilicate pentahydrate		10213-79-3	229-912-9		1 - 10%	Skin Corr. 1B: H314; STOT SE 3: H335;
Ethylene glycol monobutyl ether	603-014-00-0	111-76-2	203-905-0		1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;
(R)-p-Mentha-1,8-diene	601-029-00-7	5989-27-5	227-813-5		1 - 10%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
MMB (3-methoxy-3-methyl-1-butanol)		56539-66-3	260-252-4		1 - 10%	Eye Irrit. 2: H319;

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention.		
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medic attention if irritation or symptoms persist.		
Ingestion	DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.		
4.2. Most important symptoms and effects, both acute and delayed			
Inhalation	May cause irritation to mucous membranes.		
Eye contact	Risk of serious damage to eyes.		

#### Skin contact Irritating to skin. May cause sensitisation by skin contact.

#### Revision 1

Revision date	2022-07-07
---------------	------------

4.3. Indication of any immediate medical attention and special treatment needed					
Eye contact	Immediate medical attention is required.				
Ingestion	Immediate medical attention is required.				
SECTION 5: Firefighting measures					
5.1. Extinguishing media					
	Use as appropriate: Carbon dioxide (CO	2), Dry chemical, Foam.			
5.2. Special hazards arising from	n the substance or mixture				
	Burning produces irritating, toxic and ob	noxious fumes.			
5.3. Advice for firefighters					
	Self-contained breathing apparatus. Wea	ar protective clothing.			
SECTION 6: Accidental relea	ase measures				
6.1. Personal precautions, prote	ctive equipment and emergency procedure	95			
	Ensure adequate ventilation of the worki	ng area. Wear suitable protective equipment.			
6.2. Environmental precautions	-				
	Do not allow product to enter drains. Pre	vent further spillage if safe.			
6.3. Methods and material for co	ntainment and cleaning up				
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.				
6.4. Reference to other sections					
	SECTION 7: Handling and storage. SEC	TION 8: Exposure controls/personal protection.			
SECTION 7: Handling and storage					
7.1. Precautions for safe handlin					
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.				
7.2. Conditions for safe storage,	•				
	Keep in a cool, dry, well ventilated area.	Keep containers tightly closed.			
7.3. Specific end use(s)					
	Do not breathe gas/fumes/vapour/spray.				
SECTION 8: Exposure contr	ols/personal protection				
8.1. Control parameters					
8.1.1. Exposure Limit Values					
(R)-p-Mentha-1,8-diene	WEL 8-hr limit ppm: 100	WEL 8-hr limit mg/m3:			
	WEL 15 min limit ppm: 150	WEL 15 min limit mg/m3:			
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total -			
	inhalable dust: WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total -			
	respirable dust:	respirable dust:			
Ethylene glycol monobutyl ether	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123			
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2			
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:			

- inhalable dust:
- WEL 15 min limit mg/m3 total respirable dust:



WEL 8-hr limit mg/m3 total -

respirable dust:

## Supernatural Citrus TFR

8.2. Exposure controls		
8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.	
controls		
8.2.2. Individual protection	Wear chemical protective clothing.	
measures		
Eye / face protection	Approved safety goggles.	
Skin protection -	Chemical resistant gloves (PVC).	
Handprotection		
Respiratory protection	Self-contained breathing apparatus. Wear protective clothing.	

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Colour	Clear
	Perfumes
	No data available
pH	13.5 - 13.8
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.043 (H2O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	8 sec. 3 mm (ISO 2431)
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Miscible in water

#### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
VOC (Volatile organic compounds)	72 g/l
compounds)	
SECTION 10: Stability and reactivity	

# 10.1. Reactivity Stable under normal conditions. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions 10.3. Possibility of hazardous reactions 10.4. Conditions to avoid None. 10.5. Incompatible materials



## Supernatural Citrus TFR

10.5. Incompatible materials

None.

10.6. Hazardous decomposition products

Will not decompose if stored and used as recommended.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin	Sensitizer, Skin. May cause sensitisation by skin contact.
sensitisation	
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
STOT-single exposure	No data is available on this product.
STOT-repeated exposure	No data is available on this product.
Aspiration hazard	Potential for aspiration if swallowed.
Repeated or prolonged	May cause severe irritation to eyes and skin.
exposure	

#### 11.1.4. Toxicological Information

(R)-p-Mentha-1,8-diene	Oral Rat LD50: 4400mg/kg	Dermal Rabbit LD50: >5000mg/kg
Alcohol ethoxylate with 6.5MEO	Oral Rat LD50: >200<2000mg/kg	
Ethylene glycol monobutyl ether	Inhalation Rat LC50/4 h: 2.4mg/l	Oral Rat LD50: 470mg/kg
Sodium C14-C16 olefin	Oral Rat LD50: >2000mg/kg	Dermal Rabbit LD50: 6300-13500mg/kg
sulphonate		
sodium metasilicate	Oral Rat LD50: 1280mg/kg	Oral Mouse LD50: 770mg/kg
pentahydrate		

#### **SECTION 12: Ecological information**

12.1. Toxicity

(R)-p-Mentha-1,8-diene	Daphnia EC50/48h: 69.6 mg/l	Fathead minnows LC50/96h: 0.702mg/l
Alcohol ethoxylate with 6.5MEO	Fish LC50/96h: 10.0000 mg/l	
Ethylene glycol monobutyl ether	Daphnia EC50/48h: 1000 mg/l	Fish LC50/96h: 1700.0000 mg/l
MMB (3-methoxy-3-methyl-1-butanol)	NOEC / EC10 for marine or >1000.0000 mg/l freshwater organisms LC50 for marine or freshwater >100.0000 mg/l organisms	EC50 for marine or freshwater >1000.0000 mg/l organisms
Sodium C14-C16 olefin sulphonate	Daphnia EC50/48h: 4.5300 mg/l Fish LC50/96h: 4.2000 mg/l	Algae IC50/72h: 5.2000 mg/l
sodium metasilicate pentahydrate	Daphnia EC50/48h: 4857 mg/l	Fish LC50/96h: 3185.0000 mg/l

#### 12.2. Persistence and degradability

More than 90% biodegradable.

12.3. Bioaccumulative potential

No data is available on this product.

BCF: Bioconcentration factor.



#### Revision 1 Revision date 2022-07-07

BCF: Bioconcentration factor.		
Sodium C14-C16 olefin sulphonate	BCF: Bioconcentration factor. 70.8 L/kg	
Partition coefficient		
	Supernatural Citrus TFR No data available	
12.4. Mobility in soil		
	Soluble in water.	
12.5. Results of PBT and vPvB a	assessment	
	Not determined.	
12.6. Other adverse effects		
	Harmful to aquatic life with long lasting effects.	
SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods		
	07 06 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.	
General information		
	Dispose of in compliance with all local and national regulations.	
SECTION 14: Transport info	rmation	
14.1. UN number		
	The product is not classified as dangerous for carriage.	
14.2. UN proper shipping name		
	The product is not classified as dangerous for carriage.	
14.3. Transport hazard class(es)	)	
	The product is not classified as dangerous for carriage.	
14.4. Packing group		
	The product is not classified as dangerous for carriage.	
14.5. Environmental hazards		
	The product is not classified as dangerous for carriage.	
14.6. Special precautions for use		
	The product is not classified as dangerous for carriage. Avoid contact with eyes and skin. Do not breathe gas/fumes/vapour/spray.	
14.7 Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory inf		
	mental regulations/legislation specific for the substance or mixture	
	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94	

Copyright © 2022 ChemSoft. All rights reserved.



93/105/EC and 2000/21/EC.

as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,

#### **Revision** 1 **Revision date** 2022-07-07

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information	
-------------------------------	--

Other information	
Revision	This document differs from the previous version in the following areas:.
	1 - Product Use.
	2 - 2.1.2. Classification - EC 1272/2008.
	2 - Precautionary Statement: Prevention.
	2 - Precautionary Statement: Response.
	2 - Precautionary Statement: Storage.
	9 - 9.1. Information on basic physical and chemical properties (PH).
	9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).
	9 - 9.1. Information on basic physical and chemical properties (Melting point).
	9 - 9.1. Information on basic physical and chemical properties (Flash point).
	9 - 9.1. Information on basic physical and chemical properties (Flammability (solid, gas)).
	9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature).
	9 - 9.1. Information on basic physical and chemical properties (Explosive properties).
	9 - 9.1. Information on basic physical and chemical properties (Oxidising properties).
	9 - 9.1. Information on basic physical and chemical properties (Vapour pressure).
	9 - 9.1. Information on basic physical and chemical properties (Relative density).
	9 - 9.1. Information on basic physical and chemical properties (Vapour density).
	9 - 9.1. Information on basic physical and chemical properties (Evaporation rate).
	9 - 9.1. Information on basic physical and chemical properties (Freezing Point).
	9 - 9.1. Information on basic physical and chemical properties (Fat Solubility).
	9 - 9.1. Information on basic physical and chemical properties (Solubility).
	9 - 9.1. Information on basic physical and chemical properties (Odour threshold).
	9 - 9.2. Other information (Conductivity).
	9 - 9.2. Other information (Partition coefficient).
	9 - 9.2. Other information (Gas group).
	9 - 9.2. Other information (Surface tension).
	11 - Respiratory or skin sensitisation.
	11 - Serious eye damage/irritation.
	12 - 12.1. Toxicity.
Text of Hazard Statements in	Skin Irrit. 2: H315 - Causes skin irritation.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Acute Tox. 4: H302 - Harmful if swallowed.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	STOT SE 3: H335 - May cause respiratory irritation.
	Acute Tox. 4: H312 - Harmful in contact with skin.
	Acute Tox. 4: H332 - Harmful if inhaled.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Maximum content of VOC	72 g/l.
urther information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

