



# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

## Supernatural Glass Polish

Revision 1

Revision date 2016-01-20

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Supernatural Glass Polish
--------------	---------------------------

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles; ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles;
-------------	---

#### 1.3. Details of the supplier of the safety data sheet

Company	Dodo Juice Limited
Address	Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK
Web	www.dodojuice.com
Telephone	+44(0)1279 813222
Email address of the competent person	factory@dodojuice.com

#### 1.4. Emergency telephone number


Emergency telephone number	+44(0)7891 096802
Company	Dodo Juice Ltd 24 hr

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Eye Irrit. 2: H319;
--------------------------------------	---------------------

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation.

## Supernatural Glass Polish

Revision 1

Revision date 2016-01-20

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	P264 - Wash thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics			920-901-0		10 - 20%	Xn; R65 R66	
tetrasodium ethylene diamine tetraacetate	607-428-00-2	64-02-8	200-573-9		1 - 10%	Xn; R22 Xi; R41	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics			920-901-0		10 - 20%	EUH066; Asp. Tox. 1: H304;	
tetrasodium ethylene diamine tetraacetate	607-428-00-2	64-02-8	200-573-9		1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Move the exposed person to fresh air.
<b>Eye contact</b>	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

## 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	May cause irritation to mucous membranes.
<b>Eye contact</b>	Irritating to eyes.
<b>Skin contact</b>	Repeated exposure may cause skin dryness or cracking.
<b>Ingestion</b>	May cause irritation to mucous membranes.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

## 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

## 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area.
--	--

## 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

## Supernatural Glass Polish

Revision 1

Revision date 2016-01-20

## 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	WEL 8-hr limit ppm:	171	WEL 8-hr limit mg/m3:	1200
	WEL 15 min limit ppm:		WEL 15 min limit mg/m3:	
	WEL 8-hr limit mg/m3 total - inhalable dust:	-	WEL 15 min limit mg/m3 total - inhalable dust:	-
	WEL 8-hr limit mg/m3 total - respirable dust:	-	WEL 15 min limit mg/m3 total - respirable dust:	-

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear protective clothing.
Eye / face protection	In case of splashing, wear:.. Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	White
Odour	Slight
Viscosity	> 1000 x 10 <sup>-6</sup> m <sup>2</sup> /s @ 40 °C (ISO 3104/3105)
Solubility	Miscible in water

## 9.2. Other information

Specific gravity	0.973 g/cm <sup>3</sup>
VOC (Volatile organic compounds)	93 g/l

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

No Significant Hazard.

## 10.2. Chemical stability

Stable under normal conditions.

## Supernatural Glass Polish

Revision 1

Revision date 2016-01-20

## 10.3. Possibility of hazardous reactions

None.

## 10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition.

## 10.5. Incompatible materials

None.

## 10.6. Hazardous decomposition products

Carbon monoxide may be formed in fire conditions.

## SECTION 11: Toxicological information

## 11.1.4. Toxicological Information

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Inhalation Rat LC50/8 h: >5000mg/kg	Oral Rat LD50: >5000mg/kg
	Dermal Rabbit LD50: >5000mg/kg	

## SECTION 12: Ecological information

## 12.1. Toxicity

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Daphnia EC50/48h: 1000 mg/l	Algae IC50/72h: 1000 mg/l
	Fish LC50/96h: 1000 mg/l	

## 12.2. Persistence and degradability

Readily biodegradable.

## 12.3. Bioaccumulative potential

Does not bioaccumulate.

## Partition coefficient

Hydrocarbons, C11-C13, No data available  
isoalkanes, <2% aromatics

## 12.4. Mobility in soil

Miscible in water.

## 12.5. Results of PBT and vPvB assessment

PBT not applicable. vPvB not applicable.

## 12.6. Other adverse effects

None.

## SECTION 13: Disposal considerations

## General information

Dispose of in compliance with all local and national regulations.

## Disposal methods

Can be incinerated if in compliance with local regulations.

## SECTION 14: Transport information

## 14.1. UN number

The product is not classified as dangerous for carriage.

## 14.2. UN proper shipping name

## Supernatural Glass Polish

Revision 1

Revision date 2016-01-20

## 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

## 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

## 14.4. Packing group

The product is not classified as dangerous for carriage.

## 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

## 14.6. Special precautions for user

The product is not classified as dangerous for carriage.

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

## Further information

The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
-------------	---

## 15.2. Chemical safety assessment

No data is available on this product.

## SECTION 16: Other information

## Other information

Revision	This document differs from the previous version in the following areas:. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Hazard pictograms. 2 - Signal Word. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal. 4 - Eye contact. 9 - 9.1. Information on basic physical and chemical properties (Viscosity). 9 - 9.2. Other information (Product Subcategory). 9 - 9.2. Other information (Specific gravity). 11 - 11.1.4. Toxicological Information. 12 - 12.1. Toxicity. 12 - 12.6. Other adverse effects. 13 - Disposal methods. 16 - Maximum content of VOC.
Text of risk phrases in Section 3	R22 - Harmful if swallowed. R41 - Risk of serious damage to eyes. R65 - Harmful: may cause lung damage if swallowed. R66 - Repeated exposure may cause skin dryness or cracking.
Text of Hazard Statements in Section 3	EUH066 - Repeated exposure may cause skin dryness or cracking. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

# Supernatural Glass Polish

Revision 1

Revision date 2016-01-20

**Other information**

	Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage.
<b>Maximum content of VOC</b>	93 g/l.

**Further information**

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--