



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

Dodo Juice Motley Blue Metal Polish

Revision 1
Revision date 2021-06-11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Dodo Juice Motley Blue Metal Polish
--------------	-------------------------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC15] Non-metal-surface treatment products; [AC1] Vehicles; ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC15] Non-metal-surface treatment products; [AC1] Vehicles;
-------------	---

1.3. Details of the supplier of the safety data sheet

Company	Dodo Juice Limited
Address	Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK
Web	www.dodojuice.com
Telephone	+44(0)1279 812687
Email	factory@dodojuice.com
Email address of the competent person	factory@dodojuice.com

1.4. Emergency telephone number

Emergency telephone number	+44(0)7891 096802
Company	Dodo Juice Ltd 0700-2300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	: EUH066; Asp. Tox. 1: H304;
--------------------------------------	------------------------------

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	EUH066 - Repeated exposure may cause skin dryness or cracking. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Dodo Juice Motley Blue Metal Polish

Revision 1

Revision date 2021-06-11

2.2. Label elements

Precautionary Statement: Response	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P331 - Do NOT induce vomiting.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to local and national regulations

2.3. Other hazards

Other hazards	May cause irritation to eyes and respiratory system.
---------------	--

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Hydrocarbons, C10-C13, n-alkanes, cyclics, <2% aromatics			918-481-9		60 - 70%	EUH066; Asp. Tox. 1: H304;
Aluminium oxide		1344-28-1	215-691-6		20 - 30%	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing stops, provide artificial respiration.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse.
Ingestion	If swallowed, rinse mouth with water (only if the person is conscious). Drink 1 to 2 glasses of water. If swallowed, seek medical advice immediately and show this container or label. DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin. Repeated exposure may cause skin dryness or cracking.
Ingestion	May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

Ingestion	Aspiration hazard. May be fatal if swallowed and enters airways.
-----------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam. Do NOT use water jet.
--	---

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

5.3. Advice for firefighters

	Self-contained breathing apparatus. Wear protective clothing.
--	---

Further information

	Combustible liquid.
--	---------------------

Dodo Juice Motley Blue Metal Polish

Revision 1

Revision date 2021-06-11

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

See section 6.1 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation of the working area. Avoid contact with skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

7.3. Specific end use(s)

See section 1 for further information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Aluminium oxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total 10 inhalable dust: WEL 8-hr limit mg/m3 total 4 respirable dust:	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Dodo Juice Motley Blue Metal Polish	WEL 8-hr limit ppm: WEL 15 min limit ppm: WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 600 WEL 15 min limit mg/m3: 1200 WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Hydrocarbons, C10-C13, n-alkanes, cyclics, <2% aromatics	WEL 8-hr limit ppm: WEL 15 min limit ppm: WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 600 WEL 15 min limit mg/m3: 1200 WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Wear chemical protective clothing.

Eye / face protection

Approved safety goggles.

Dodo Juice Motley Blue Metal Polish

Revision 1
Revision date 2021-06-11

8.2. Exposure controls

Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Not normally required.
8.2.3. Environmental exposure controls	See section 6, 7, 12, 13 for further information.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Light blue
Odour	Perceptible
Odour threshold	No data available
pH	Not applicable.
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Flash point	> 61 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper Explosive Limit	7 %
Lower Explosive Limit	0.5 %
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.817 (H ₂ O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	> 200 °C
Viscosity	10 sec. 3 mm (ISO 2431)
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Immiscible in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	572 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions.
--	---------------------------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	No Significant Hazard.
--	------------------------

10.4. Conditions to avoid

	Avoid sparks, flames, heat and sources of ignition.
--	---

Dodo Juice Motley Blue Metal Polish

Revision 1

Revision date 2021-06-11

10.5. Incompatible materials

Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Will not decompose if stored and used as recommended. Burning produces irritating, toxic and obnoxious fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitisation	No sensitization effects reported.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No teratogenic effects reported.
STOT-single exposure	No data is available on this product.
STOT-repeated exposure	No data is available on this product.
Aspiration hazard	May be fatal if swallowed and enters airways.
Repeated or prolonged exposure	May cause degreasing of the skin.

11.1.4. Toxicological Information

Aluminium oxide	Oral Rat LD50: >5000mg/kg
Hydrocarbons, C10-C13, n-alkanes, cyclics, <2% aromatics	Oral Rat LD50: >5000mg/kg Dermal Rabbit LD50: >5000mg/kg Inhalation Rat LC50/4 h: >5000mg/kg

SECTION 12: Ecological information

12.1. Toxicity

Hydrocarbons, C10-C13, n-alkanes, cyclics, <2% aromatics	Algae EC50/72h: >1000mg/l Daphnia LC50/48h: >1000mg/l Rainbow trout LC50/96h: >1000mg/l
--	---

12.2. Persistence and degradability

Readily biodegradable.

12.3. Bioaccumulative potential

Does not bioaccumulate.

Partition coefficient

Dodo Juice Motley Blue Metal Polish No data available

12.5. Results of PBT and vPvB assessment

PBT no. vPvB no.

12.6. Other adverse effects

No known adverse environmental effects.

SECTION 13: Disposal considerations

Dodo Juice Motley Blue Metal Polish

Revision 1
Revision date 2021-06-11

General information

	Dispose of in compliance with all local and national regulations.
--	---

Disposal methods

	Contact a licensed waste disposal company.
--	--

Disposal of packaging

	Empty containers can be sent for disposal or recycling.
--	---

SECTION 14: Transport information

14.1. UN number

	The product is not classified as dangerous for carriage.
--	--

14.2. UN proper shipping name

	The product is not classified as dangerous for carriage.
--	--

14.3. Transport hazard class(es)

	The product is not classified as dangerous for carriage.
--	--

14.4. Packing group

	The product is not classified as dangerous for carriage.
--	--

14.5. Environmental hazards

	The product is not classified as dangerous for carriage.
--	--

14.6. Special precautions for user

	The product is not classified as dangerous for carriage.
--	--

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

	The product is not classified as dangerous for carriage.
--	--

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
-------------	--

15.2. Chemical safety assessment

	No data available.
--	--------------------

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas: 2 - 2.1.2. Classification - EC 1272/2008. 9 - 9.1. Information on basic physical and chemical properties (PH). 9 - 9.1. Information on basic physical and chemical properties (Initial boiling point). 9 - 9.1. Information on basic physical and chemical properties (Melting point). 9 - 9.1. Information on basic physical and chemical properties (Flammability (solid, gas)). 9 - 9.1. Information on basic physical and chemical properties (Explosive properties). 9 - 9.1. Information on basic physical and chemical properties (Oxidising properties). 9 - 9.1. Information on basic physical and chemical properties (Vapour pressure). 9 - 9.1. Information on basic physical and chemical properties (Vapour density). 9 - 9.1. Information on basic physical and chemical properties (Evaporation rate). 9 - 9.1. Information on basic physical and chemical properties (Freezing Point). 9 - 9.1. Information on basic physical and chemical properties (Fat Solubility).
----------	--

Dodo Juice Motley Blue Metal Polish

Revision 1

Revision date 2021-06-11

Other information

	<p>9 - 9.1. Information on basic physical and chemical properties (Odour threshold).</p> <p>9 - 9.2. Other information (Conductivity).</p> <p>9 - 9.2. Other information (Partition coefficient).</p> <p>9 - 9.2. Other information (Gas group).</p> <p>9 - 9.2. Other information (Surface tension).</p> <p>9 - 9.2. Other information (Benzene Content).</p> <p>9 - 9.2. Other information (Lead content).</p> <p>11 - Acute toxicity.</p> <p>11 - Repeated or prolonged exposure.</p> <p>11 - STOT-single exposure.</p> <p>11 - STOT-repeated exposure.</p>
Text of Hazard Statements in Section 3	<p>EUH066 - Repeated exposure may cause skin dryness or cracking.</p> <p>Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.</p>
Maximum content of VOC	<p>572 g/l.</p>

Further information

	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
--	---